



CYNTHIA H. COFFMAN
Attorney General

DAVID C. BLAKE
Chief Deputy Attorney General

MELANIE J. SNYDER
Chief of Staff

FREDERICK R. YARGER
Solicitor General

STATE OF COLORADO
DEPARTMENT OF LAW

RALPH L. CARR
COLORADO JUDICIAL CENTER
1300 Broadway, 7th Floor
Denver, Colorado 80203
Phone (720) 508-6000

Natural Resources and
Environment Section

January 13, 2017

Colorado Department of State
Administrative Rules Program Manager
1700 Broadway, Suite 200
Denver, CO 80290

RE: Corrections to Regulation Number 7, 5 CCR 1001-9
Tracking Number 2016-00420

Dear Ms. Maiolo:

On November 17, 2016, amendments to Regulation Number 7 were adopted by the Air Quality Control Commission. Pursuant to C.R.S. § 24-4-103(11)(d)(II), the amended regulation and the Attorney General's opinion were submitted to the Secretary of State under Tracking Number 2016-00420. Subsequently, we discovered a clerical error that should be corrected before this rule becomes effective.

Specifically, Section XIX.B. identifies engines and boilers for IBM by reference number. The reference number for one piece of equipment mistakenly includes a "dash" rather than a "comma." IBM has no equipment identified by the number in its current form.


CURRENT: IBM (013-0006) – engines and boilers (pt 088, 090-001, 011, 095)

CORRECT: IBM (013-0006) – engines and boilers (pt 088, 090, 001, 011, 095)

Pursuant to the rulemaking provisions of the Colorado Administrative Procedures Act, clerical errors may be corrected upon submission of a request by the agency. C.R.S. § 24-4-103(11)(d)(II). I have reviewed this error and have determined that it is nonsubstantive.

Sincerely,

FOR THE ATTORNEY GENERAL



THOMAS A. ROAN

First Assistant Attorney General

Air Quality Unit

Natural Resources Section

720-508-6268

Email: Tom.Roan@coag.gov