



Dedicated to protecting and improving the health and environment of the people of Colorado

To: Members of the State Board of Health

From: Jennifer Opila, Program Manager
James Jarvis, Regulatory Lead
Hazardous Materials and Waste Management Division

Through: Gary Baughman, Division Director *GWB*

Date: July 19, 2017

Subject: **Request for Rulemaking Hearing**
Proposed Amendments to 6 CCR 1007-1, Part 1, General Provisions, and Part 17,
Transportation of Radioactive Material, with a request for a rulemaking hearing to
be set for September of 2017

The Division is proposing to make technical amendments to the Part 17 radiation regulations, titled *Transportation of Radioactive Material* and an associated change to the Part 1 radiation regulations, titled *General Provisions*. The Part 1 rule contains formal definitions that are used throughout other regulatory parts. The Part 17 contains the basic requirements for transportation of radioactive materials and is used in conjunction with other federal regulations governing transportation of radioactive materials including those of the U.S. Nuclear Regulatory Commission (NRC) and the U.S. Department of Transportation (DOT).

In 2014 and 2015 the NRC and DOT made regulatory changes to better align and harmonize U.S. transportation regulations with those of the international community and the standards of the International Atomic Energy Agency (IAEA). The changes being proposed for Parts 1 and 17 are to align Colorado regulations with those of the federal government and ultimately international regulations. The changes are needed for compatibility with the federal regulations and to maintain Colorado's status as an agreement state, and allow Colorado to work within the global and national framework for regulation of transportation of radioactive materials.

Further details of the proposed rule are listed in a Statement of Basis and Purpose and Specific Statutory Authority for the proposed rule, which, along with a Regulatory Analysis and supporting information, is available at: <https://www.colorado.gov/cdphe/radregs>. During early stakeholder engagement outreach efforts in February 2017, approximately 600+ stakeholders were notified of the opportunity to provide comments on the rule changes under consideration. No comments were received during the comment period. Additionally, a stakeholder meeting was scheduled and offered during the comment period, but no stakeholders were in attendance.

For efficiency purposes, the Part 1 rulemaking effort is being amended concurrent with rulemaking activities for Part 17 since the changes are directly related.

At the July 2017 request for rulemaking, the Radiation Program requests that the Board of Health set a rulemaking hearing for September of 2017.

DRAFT
 STATEMENT OF BASIS AND PURPOSE
 AND SPECIFIC STATUTORY AUTHORITY
 for Amendments to
 6 CCR 1007-1, Part 1, General Provisions
 6 CCR 1007-1, Part 17, Transportation of Radioactive Material

Basis and Purpose.

The proposed amendments make technical changes to the Part 1 and Part 17 rules.

The proposed changes to Part 1 and Part 17 will ensure Colorado regulations involving transportation of radioactive materials are consistent with the 2014 and 2015 changes to federal rules that are now in effect. The Colorado rule changes will also harmonize transportation requirements with the international rules of the International Atomic Energy Agency (IAEA).

Consistent with current federal and international rules, the proposed changes to Part 1 and Part 17 will: add or modify definitions for *criticality safety index*, *low specific activity*, and *uranium-natural, depleted, enriched, and special form* applicable to transportation; expand exemptions for transportation of certain low-level radioactive materials deemed to be of low risk; clarify that Colorado is responsible for review of certain package-related quality assurance programs for use of Type B packages under a general license; change the rule language to defer to federal rule requirements for package quality assurance rather than provide select requirements in Colorado rule; expand some recordkeeping requirements for irradiated fissile material shipments; add package and conveyance equations used for calculating limits for mixtures or unknown quantities of radioactive materials; adjust or add package limits for certain isotopes requiring updates or that were not previously identified; update contact and related information pertaining to notifications for shipments of nuclear waste due to NRC website and organizational changes; and various technical, editorial and typographical corrections of a minor nature.

Specific Statutory Authority.

These rules are promulgated pursuant to the following statutes:
 25-1.5-101(1)(k), 25-1.5-101(1)(l), 25-11-103, 25-11-104, and 25-1-108, C.R.S.

Is this rulemaking due to a change in state statute?

Yes, the bill number is _____. Rules are ___ authorized ___ required.
 No

Is this rulemaking due to a federal statutory or regulatory change?


Yes
 No

Does this rule incorporate materials by reference?

Yes If "Yes," the rule needs to provide the URL of where the
 No material is available on the internet (CDPHE website
 recommended) or the Division needs to provide one print or
 electronic copy of the incorporated material to the State
 Publications Library. § 24-4-103(12.5)(c), C.R.S.

Does this rule create or modify fines or fees?

- Yes
- No



DRAFT
REGULATORY ANALYSIS
for Amendments to
6 CCR 1007-1, Part 1, General Provisions
6 CCR 1007-1, Part 17, Transportation of Radioactive Material

1. A description of the classes of persons who will be affected by the proposed rule, including classes that will bear the costs of the proposed rule and classes that will benefit from the proposed rule.

The proposed rule changes in Part 1 and Part 17 are expected to impact only a limited number of licensees due to the nature of the proposed changes. Licensees impacted by the proposed changes include: entities who transport or offer for transport low level materials who are excepted by the provisions in 17.4.2; licensees who utilize type B packages for transport of materials but excluding industrial radiography licensees per the exception in section 17.10.2; and licensees shipping nuclear waste*. (Note, there are no Colorado licensees who ship nuclear waste).

It is expected that all users of the rule will generally benefit from the proposed requirements as it will ensure that transportation requirements are consistent between states and across international boundaries.

The proposed rule will not impact those entities using only radiation producing (x-ray) machines for any purpose.

2. To the extent practicable, a description of the probable quantitative and qualitative impact of the proposed rule, economic or otherwise, upon affected classes of persons.

The proposed changes are expected to have a minimal quantitative and qualitative impact. The requirements for submission of quality assurance program documents under the general license of 17.7 will require the licensee to submit documents to the Department rather than NRC as currently written. This change is expected to have a minimal impact on affected persons (licensees).

3. The probable costs to the agency and to any other agency of the implementation and enforcement of the proposed rule and any anticipated effect on state revenues.

The proposed requirement for the Department (radiation program) to review the quality assurance program for entities operating under the general license described in section 17.7 of the proposed rule is the only provision expected to have a slight impact on the Department. The proposed requirement applies to the reviews of quality assurance programs for those using (NRC) approved packages. The most common types of packages requiring NRC approval (and an NRC certificate of compliance) used by Colorado licensees are known as "Type B" packages. Such Type B packages are typically used for shipment of higher risk radioactive materials. With the exception of industrial radiography licensees, the use of Type B packages by Colorado licensees occurs infrequently - typically every 2-4 years or so - at the time of source exchange. (Note that the Part 17 rule currently provides an exception from the quality assurance review process for industrial radiography licensees using Type B packages in 17.10 so there is no impact to these industrial radiography licensees or the Department as a result of the proposed update to the quality assurance program review provision).

The use of Type B packages by Colorado licensees is secondary to the other activities of the licensee during such large activity shipments. Excluding industrial radiography shipments, most activities which involve the use of Type B packages will already involve

additional oversight by the Department so the review of any quality assurance documents or program elements are not expected to have a significant impact on the Department.

The rule requirements are enforced only by the Department. No other agency will encounter costs as a result of the proposed changes.

The costs to the Department, due to the review of additional program elements, is not expected to be significant.

4. A comparison of the probable costs and benefits of the proposed rule to the probable costs and benefits of inaction.

The benefits of amending the Part 1 and Part 17 rules will be to ensure that Colorado regulations involving transportation of radioactive materials will be consistent with the national and international framework for regulating radioactive materials transport. Colorado licensees shipping or receiving radioactive materials to or through states under the jurisdiction of NRC or who ship internationally are currently required to follow federal transportation regulations.

The rule amendments will also help ensure that Colorado's status as an agreement state is maintained.

Inaction on the proposed rule will result in potential conflict with federal requirements and may jeopardize Colorado's agreement state status. Inaction would also limit Colorado's consistency within the national and international regulatory framework for radioactive materials regulation.

5. A determination of whether there are less costly methods or less intrusive methods for achieving the purpose of the proposed rule.

The proposed changes involve numerous technical changes. There are no less costly or less intrusive methods for achieving the purpose of the proposed rule changes.

The agency cost to review quality assurance programs is expected to be minimal and implemented as a part of routine program activities.

6. Alternative Rules or Alternatives to Rulemaking Considered and Why Rejected.

The proposed changes are technical changes necessary for compatibility with federal rule.

There are no alternate rules or alternatives available rulemaking to address the changes.

7. To the extent practicable, a quantification of the data used in the analysis; the analysis must take into account both short-term and long-term consequences.

The proposed changes are technical in nature and are needed to harmonize Colorado rule with federal and international rules involving transportation of radioactive materials.

There are no easily quantifiable data associated with the proposed rule changes.

DRAFT
STAKEHOLDER COMMENTS
for Amendments to
6 CCR 1007-1, Part 1, General Provisions
6 CCR 1007-1, Part 17, Transportation of Radioactive Material

State law requires agencies to establish a representative group of participants when considering to adopt or modify new and existing rules. This is commonly referred to as a stakeholder group.

Early Stakeholder Engagement:

The following individuals and/or entities were invited to provide input and included in the development of these proposed rules:

The Governor-appointed members of the Colorado Radiation Advisory Committee who represent the healing arts, industry and higher education reviewed the proposed rule changes and had no comments on the proposed changes. The Part 17 rule (and associated Part 1 changes) apply the regulatory requirements for transportation of radioactive materials, and therefore all 300+ active radioactive material licensees were notified of the rule changes being considered for amendment and were given the opportunity to provide input. Additionally, another 300+ stakeholders representing a diverse group of entities, including non-licensees, public interest groups and individuals, federal agencies and others were notified of the rule change being considered and were invited to provide input and comments. No comments were received during this early stakeholder engagement period.

As part of the agreement state requirements, the U.S. Nuclear Regulatory Commission (NRC) reviewed the draft rule changes for consistency and compatibility with federal rule. The NRC provided several comments on the proposed rule changes specific to Part 17 which have been incorporated and are reflected in the most recent draft rule.

Summarize Major Factual and Policy Issues Encountered and the Stakeholder Feedback Received. If there is a lack of consensus regarding the proposed rule, please also identify the Department's efforts to address stakeholder feedback or why the Department was unable to accommodate the request.

There were no major factual or policy issues encountered during the stakeholder process. No stakeholders provided comments on the proposed rule change. No entities attended the scheduled stakeholder meeting.

Please identify health equity and environmental justice (HEEJ) impacts. Does this proposal impact Coloradoans equally or equitably? Does this proposal provide an opportunity to advance HEEJ? Are there other factors that influenced these rules?

The proposed rule change impacts Coloradoans equally. The proposed rule changes are technical changes that do not provide an opportunity to advance HEEJ. The content of the proposed rule change is driven by the need for consistency with federal rule and the national and international framework for regulating the transport of radioactive materials. All entities falling under these regulatory requirements are treated in an equal manner.

1 **DRAFT C 02/27/17**

2 **DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT**

3 **Hazardous Materials and Waste Management Division**

4 **RADIATION CONTROL - GENERAL PROVISIONS**

5 **6 CCR 1007-1 Part 01**

6 *[Editor's Notes follow the text of the rules at the end of this CCR Document.]*

7 **Adopted by the Board of Health on September 20, 2017, effective date November 14, 2017.**

8 _____

9 ~~Adopted by the Board of Health on December 16, 2015.~~

10 **PART 1: GENERAL PROVISIONS**

11 **1.1 Purpose and Scope.**

12 [* * * = Indicates omission of unaffected rules/sections]

13 * * *

14 * * *

15 1.1.5.1 **In accordance with Section 24-4-103(12.5)(c), CRS,**

16 **<https://www.colorado.gov/cdphe/radregs> identifies where incorporated material is**

17 **available to the public on the internet at no cost. If the incorporated material is not**

18 **available on the internet at no cost to the public, copies of the incorporated**

19 **material has been provided to the State Publications Depository and Distribution**

20 **Center, also known as the State Publications Library. The State Librarian at the**

21 **State Publication Library retains a copy of the material and will make the copy**

22 **available to the public.** ~~Published material incorporated in Part 1 by reference is~~

23 ~~available in accord with Section 1.4.~~

24 * * *

25 **1.2 Definitions.**

26 * * *

27 **"Special form radioactive material"** means radioactive material that satisfies the following

28 conditions:

- 29 (1) It is either a single solid piece or is contained in a sealed capsule that can be
- 30 opened only by destroying the capsule;
- 31 (2) The piece or capsule has at least one dimension not less than 5 millimeters (0.2
- 32 inch); and
- 33 (3) **It satisfies the requirements of 10 CFR 71.75. A special form encapsulation**
- 34 **designed in accordance with the requirements of:**
- 35 (a) **10 CFR 71.4 in effect on June 30, 1983 (see 10 CFR part 71, revised**
- 36 **as of January 1, 1983), and constructed before July 1, 1985;**
- 37 (b) **A special form encapsulation designed in accordance with the**
- 38 **requirements of 10 CFR 71.4 in effect on March 31, 1996 (see**
- 39 **10 CFR part 71, revised as of January 1, 1996), and constructed**
- 40 **before April 1, 1998; and**
- 41
- 42
- 43
- 44

Commented [jsj1]:
EDITORIAL NOTE 1: ALL COMMENTS (SUCH AS THIS ONE) SHOWN IN THE RIGHT SIDE MARGIN OF THIS DOCUMENT ARE FOR INFORMATION PURPOSES ONLY TO AID THE READER IN UNDERSTANDING THE PROPOSED RULE DURING THE DRAFT REVIEW PROCESS.

THESE COMMENTS ARE **NOT** PART OF THE RULE AND WILL BE DELETED PRIOR TO FINAL SUBMISSION FOR PUBLICATION.

EDITORIAL NOTE 2: COMPATIBILITY WITH FEDERAL U.S. NUCLEAR REGULATORY COMMISSION (NRC) REGULATIONS IS REQUIRED BY COLORADO STATUTE AND TO MAINTAIN AGREEMENT STATE STATUS WITH THE NUCLEAR REGULATORY COMMISSION (NRC). THE PROPOSED CHANGES TO PART 1 ARE BASED ON INFORMATION FROM THE NRC REGULATORY ACTION TRACKING SYSTEM (RATS) WHICH MAY BE FOUND AT: https://scp.nrc.gov/rss_regamendments.html

INFORMATION ON NRC COMPATIBILITY CATEGORIES MAY BE FOUND AT: <https://scp.nrc.gov/regresources.html>

EDITORIAL NOTE 3: THE CONFERENCE OF RADIATION CONTROL PROGRAM DIRECTORS (CRCPD), INC., DEVELOPS SUGGESTED STATE REGULATIONS FOR CONTROL OF RADIATION (KNOWN AS SSRCR'S). CONSISTENT WITH STATE LAW AND UNLESS OTHERWISE DETERMINED BY THE BOARD OF HEALTH, COLORADO'S RULES ARE TO BE CONSISTENT WITH NRC REGULATIONS AND THE SSRCR REGULATIONS. THE SSRCRS MAY BE FOUND ONLINE AT: <http://www.crcpd.org/ssrcr/default.aspx>

THE EQUIVALENT REGULATORY PART TO PART 1 IS SSRCR PART "A". PART A WAS LAST UPDATED IN 2003 AND IS NO LONGER CONSISTENT WITH CHANGES TO 10 CFR PART 71.

EDITORIAL NOTE 4: UNAFFECTED SECTIONS OF THE RULE HAVE BEEN OMITTED FROM THE DRAFT FOR BREVITY. SUCH SECTIONS ARE DELINIATED BY " * * * ".

Commented [jsj2]: These dates reflect the anticipated adoption by the Colorado Board of Health. The effective date is approximately 60 days beyond the adopted date, based upon the Colorado Secretary of State's publication calendar/schedule.

Commented [jsj3]: Definition is updated, consistent with the equivalent definition in 10 CFR 71.4.

NRC Compatibility "B"
[NRC RATS 2015-3](#)

45
46
47
48
49

50
51
52
53

54
55
56
57
58

(c) Special form material that was successfully tested before September 10, 2015 in accordance with the requirements of 10 CFR 71.75(d) in effect before September 10, 2015 may continue to be used. Any other special form encapsulation must meet the specifications of this definition.

~~All test requirements specified by the NRC that are applicable and in effect at the time are met by the special form encapsulation design and/or construction.~~


* * *

1.4.3 The addresses of the Federal Agencies and Organizations originally issuing the referenced materials are available on the Division website at <https://www.colorado.gov/cdphe/radregs>~~http://www.cdphe.state.co.us/hm/index.htm.~~

Commented [jsj4]: Web site URL updated for consistency with other rule changes and web site updates.

* * *

THIS PAGE INTENTIONALLY LEFT BLANK



1 **DRAFT F 06/26/17**

2 **DEPARTMENT OF PUBLIC HEALTH AND ENVIRONMENT**

3 **Hazardous Materials and Waste Management Division**

4 **RADIATION CONTROL - TRANSPORTATION OF RADIOACTIVE MATERIALS**

5 **6 CCR 1007-1 Part 17**

6 *[Editor's Notes follow the text of the rules at the end of this CCR Document.]*

7
8 **Adopted by the Board of Health September 20, effective date November 14, 2017.**

9
10
11 **PART 17: TRANSPORTATION OF RADIOACTIVE MATERIALS**

12 **GENERAL PROVISIONS**

13 **17.1 Purpose and Scope.**

14 17.1.1 Authority.

15 Rules and regulations set forth herein are adopted pursuant to the provisions of sections 25-1-
16 108, 25-1.5-101(1)(l), and 25-11-104, CRS.

17 17.1.2 Basis and Purpose.

18 A statement of basis and purpose accompanies this part and changes to this part. A copy may be
19 obtained from the Department.

20 17.1.3 Scope.

21 This part establishes requirements for packaging, preparation for shipment, and transportation of
22 radioactive material.

23 17.1.4 Applicability.

24 17.1.4.1 This part applies to any person who transports radioactive material or delivers
25 radioactive material to a carrier for transport.

26 (1) This part applies in particular to any licensee authorized by specific or general
27 license to receive, possess, use, or transfer licensed material, if the licensee
28 delivers that material to a carrier for transport, transports the material outside the
29 site of usage as specified in the license, or transports that material on a public
30 highway.

31 (2) The transport of licensed material or delivery of licensed material to a carrier for
32 transport is subject to the:

33 (a) General provisions of 17.1 through 17.5, including referenced DOT
34 regulations;

35 (b) Quality assurance requirements of ~~47-10~~**10 CFR 71**; and

36 (c) Operating controls and procedures requirements of 17.11 through 17.17.

37 (3) No provision of this part authorizes possession of licensed material.

38 (4) Exemptions from the requirement in 17.3 for a license are specified in 17.4.

Commented [jsj5]:

EDITORIAL NOTE 1: ALL COMMENTS (SUCH AS THIS ONE) SHOWN IN THE RIGHT SIDE MARGIN OF THIS DOCUMENT ARE FOR INFORMATION PURPOSES ONLY TO PROVIDE ADDITIONAL INFORMATION AND TO AID THE READER IN UNDERSTANDING THE PROPOSED RULE DURING THE DRAFT REVIEW PROCESS.

THESE COMMENTS ARE **NOT** PART OF THE RULE AND ALL COMMENTS WILL BE DELETED PRIOR TO FINAL SUBMISSION FOR PUBLICATION BY THE COLORADO SECRETARY OF STATE'S OFFICE.

EDITORIAL NOTE 2: COMPATIBILITY WITH FEDERAL U.S. NUCLEAR REGULATORY COMMISSION (NRC) REGULATIONS IS REQUIRED BY COLORADO STATUTE AND TO MAINTAIN AGREEMENT STATE STATUS WITH NRC. THE PROPOSED CHANGES TO PART 17 ARE BASED ON CHANGES IN 10 CFR 71. INFORMATION ON NRC COMPATIBILITY CATEGORIES MAY BE FOUND AT: <https://sep.nrc.gov/regresources.html>

EDITORIAL NOTE 3: THE CONFERENCE OF RADIATION CONTROL PROGRAM DIRECTORS (CRCPD), INC., DEVELOPS SUGGESTED STATE REGULATIONS FOR CONTROL OF RADIATION (KNOWN AS SSRCR'S). UNLESS OTHERWISE DETERMINED BY THE BOARD OF HEALTH, COLORADO'S RULES ARE TO BE CONSISTENT WITH NRC REGULATIONS AND THE SSRCR REGULATIONS. THE SSRCRS MAY BE FOUND ONLINE AT: <http://www.crcpd.org/ssrcrs/default.aspx>

THE EQUIVALENT REGULATORY PART TO PART 17 IS SSRCR PART "T". PART T WAS LAST UPDATED IN 2014 BUT IS **NOT** CONSISTENT WITH THE MOST RECENT (2015) CHANGES TO 10 CFR PART 71.

EDITORIAL NOTE 4: INFORMATION ON THE NRC REGULATORY ACTION TRACKING SYSTEM (RATS) MAY BE FOUND AT: https://sep.nrc.gov/rss_regamendments.html

EDITORIAL NOTE 5: THE PRIMARY PURPOSE OF THE PROPOSED CHANGES TO PART 17 IS TO MAKE THE RULE CONSISTENT WITH 10 CFR PART 71 (NRC) AND 49 CFR (U.S. DOT) BOTH OF WHICH WERE AMENDED TO BRING U.S. REQUIREMENTS IN ALIGNMENT WITH INTERNATIONAL TRANSPORTATION REQUIREMENTS OF THE IAEA.

EDITORIAL NOTE 6: WHERE APPLICABLE SOME UNAFFECTED SECTIONS OF THE RULE MAY HAVE BEEN OMITTED FROM THE DRAFT FOR BREVITY. SUCH SECTIONS ARE DELINIATED BY

** * * **

Commented [jsj6]: This reflects the date of anticipated adoption by the Colorado Board of Health (the Board). The effective date is approximately 60 days beyond the adopted date, based on the Colorado Secretary of State's publication calendar and pending final adoption by the Board.

Commented [JJ7]: Reference to Section 17.10 is removed as the rule will defer to the quality assurance requirements of 10 CFR Part 71 rather than duplicate limited portions of them in Section 17.10.

- 39 (5) The general license under 17.7 requires that a NRC ~~e~~Certificate of ~~e~~Compliance
 40 or other package approval be issued for the package to be used under the
 41 general license.
- 42 (6) General licenses for which no package approval is required are issued in 17.8
 43 and 17.9.
- 44 (7) These rules apply to any person required to obtain a ~~e~~Certificate of ~~e~~Compliance
 45 or an approved compliance plan from the NRC pursuant to 10 CFR 71 if the
 46 person delivers radioactive material to a common or contract carrier for transport
 47 or transports the material outside the confines of the person's plant or other
 48 authorized place of use.

Commented [jsj8]: Here, and throughout the rule, Certificate of Compliance is capitalized for consistency with the formal definition in 17.2.2.

49 17.1.4.2 The packaging and transport of radioactive material are also subject to other
 50 parts of these regulations and to the regulations of other agencies (such as the DOT, the
 51 United States Postal Service and the NRC) having jurisdiction over means of transport.

52 17.1.4.3 The requirements of this part are in addition to, and not in substitution for, other
 53 requirements.

54 **17.1.5** Published Material Incorporated by Reference.

Commented [jsj9]: New language is added to provide an online resource for documents referenced in the rule.

55 **In accordance with Section 24-4-103(12.5)(c), CRS,**
 56 **<https://www.colorado.gov/cdphe/radregs> identifies where incorporated material is**
 57 **available to the public on the internet at no cost. If the incorporated material is not**
 58 **available on the internet at no cost to the public, copies of the incorporated material has**
 59 **been provided to the State Publications Depository and Distribution Center, also known as**
 60 **the State Publications Library. The State Librarian at the State Publication Library retains a**
 61 **copy of the material and will make the copy available to the public.** ~~Published material~~
 62 ~~incorporated in Part 17 by reference is available in accord with Part 1, Section 1.4.~~

63 17.2 Definitions.

64 17.2.1 Definitions of general applicability to these regulations are in Part 1, Section 1.2.2.

65 17.2.2 Terms used in Part 17 have the definitions set forth as follows.

66 "Carrier" means a person engaged in the transportation of passengers or property by land or
 67 water as a common, contract, or private carrier, or by civil aircraft.

68 "Certificate holder" means a person who has been issued a ~~e~~Certificate of ~~e~~Compliance or other
 69 package approval by the NRC.

70 "Certificate of Compliance" (COC) means the certificate issued by the NRC under subpart D of 10
 71 CFR 71 (~~January 1, 2014~~) which approves the design of a package for the transportation of
 72 radioactive material

Commented [jsj10]: The original date is eliminated. Retaining the original date (or incorporating an updated date) may negate or cause confusion for those certificates that have been issued in the past and/or prior to a specified date.

73 "Closed transport vehicle" means a transport vehicle equipped with a securely attached exterior
 74 enclosure that during normal transportation restricts the access of unauthorized persons to the
 75 cargo space containing the radioactive material. The enclosure may be either temporary or
 76 permanent but shall limit access from top, sides, and ends. In the case of packaged materials, it
 77 may be of the "see-through" type.

The NRC certificates - are issued under the regulations in place at the time of issuance and have their own expiration date.

78 "Consignment" means each shipment of a package or groups of packages or load of radioactive
 79 material offered by a shipper for transport.

80 "Containment system" means the assembly of components of the packaging intended to retain
 81 the radioactive material during transport.
 82

83 **"Contamination"** means the presence of a radioactive substance on a surface in quantities
 84 in excess of 0.4 Bq/cm² (1x10⁻⁵ μCi/cm²) for beta and gamma emitters and low toxicity
 85 alpha emitters, or 0.04 Bq/cm² (1x10⁻⁶ μCi/cm²) for all other alpha emitters.

86 (1) **Fixed contamination** means contamination that cannot be removed from a
 87 surface during normal conditions of transport.

88 (2) **Non-fixed contamination** means contamination that can be removed from a
 89 surface during normal conditions of transport.

90 "Conveyance" means:

- 91 (1) For transport by public highway or rail any transport vehicle or large freight
 92 container;
- 93 (2) For transport by water any vessel, or any hold, compartment, or defined deck
 94 area of a vessel including any transport vehicle on board the vessel; and
- 95 (3) For transport by any aircraft.

97 **"Criticality Safety Index (CSI)"** means the dimensionless number (rounded up to the next tenth)
 98 assigned to and placed on the label of a fissile material package, to designate the degree of
 99 control of accumulation of packages, **overpacks, or freight containers** containing fissile material
 100 during transportation. Determination of the criticality safety index is described in 10 CFR 71.22,
 101 71.23, and 71.59. **The criticality safety index for an overpack, freight container,**
 102 **consignment or conveyance containing fissile material packages is the arithmetic sum of**
 103 **the criticality safety indices of all the fissile material packages contained within the**
 104 **overpack, freight container, consignment or conveyance.**

105 "Deuterium" means, for the purposes of Part 17, deuterium and any deuterium compound,
 106 including heavy water, in which the ratio of deuterium atoms to hydrogen atoms exceeds 1:5000.

107 "Exclusive use" means the sole use by a single consignor of a conveyance for which all initial,
 108 intermediate, and final loading and unloading are carried out in accordance with the direction of
 109 the consignor or consignee. The consignor and the carrier must ensure that any loading or
 110 unloading is performed by personnel having radiological training and resources appropriate for
 111 safe handling of the consignment. The consignor must issue specific instructions, in writing, for
 112 maintenance of exclusive use shipment controls, and include them with the shipping paper
 113 information provided to the carrier by the consignor.

114 "Fissile material package" means a fissile material packaging together with its fissile material
 115 contents.

116 "Graphite" means, for the purposes of Part 17, graphite with a boron equivalent content less than
 117 5 parts per million and density greater than 1.5 grams per cubic centimeter.

118 **"Indian Tribe"** means an Indian or Alaska native Tribe, band, nation, pueblo, village, or
 119 community that the Secretary of the Interior acknowledges to exist as an Indian Tribe pursuant to
 120 the Federally Recognized Indian Tribe List Act of 1994, 25 U.S.C. 479a.

121 "Low specific activity material" (**LSA material**) means radioactive material with limited specific
 122 activity which is nonfissile or **is excepted** under Part 17 and which satisfies the descriptions and
 123 limits set forth **below in the following section**. Shielding materials surrounding the LSA material
 124 may not be considered in determining the estimated average specific activity of the package
 125 contents. **The LSA material must be in one of three groups:**

126 (1) **LSA-I.**

127 (a) Uranium and thorium ores, concentrates of uranium and thorium ores,
 128 and other ores containing naturally occurring radionuclides **that which are**
 129 **not** intended to be processed for the use of these radionuclides; **or**

Commented [jsj11]: Definitions added, consistent with the definition added to 10 CFR 71.4.

This definition is based on the definition in International Atomic Energy Agency (IAEA) TS-R-1 regulations for international transportation of radioactive materials. The definition addresses those solid objects which are not themselves radioactive, but rather, are contaminated on their surfaces.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [JJ12]: Language amended and updated consistent with the existing and updated definition in 10 CFR 71.4.

The current definition in federal rules is amended based on a similar definition in IAEA TS-R-1 regulations for international transportation of radioactive materials.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)
[NRC Letter April 6, 2017](#)

Commented [jsj13]: Consistent with federal rule in 10 CFR Part 71.4, "tribe" is modified to "Tribe" here and elsewhere throughout rule as applicable.

NRC Compatibility "B"
[NRC RATS 2015-5](#)
[80 FR 74974 \(December 1, 2015\)](#)

Commented [jsj14]: Language added, consistent with an equivalent definition in 10 CFR 71.4.

This definition is modified based on a similar definition in IAEA TS-R-1 regulations for international transportation of radioactive materials.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj15]: In a prior amendment to 10 CFR 71, NRC incorrectly incorporated the modifier "not" (as in "...not intended to be processed..."). This was later determined to be in conflict with U.S. DOT requirements in effect at the time. Therefore, NRC has corrected the definition for LSA-I in 10 CFR 71. The proposed change similarly corrects this same error in Part 17.

- 130 (b) ~~Solid unirradiated n~~Natural uranium, ~~or~~ depleted uranium, ~~or~~ natural
131 thorium or their ~~solid or liquid~~ compounds or mixtures, **provided they**
132 **are unirradiated and in solid or liquid form;-**
- 133 (c) Radioactive material, other than fissile material, for which the A_2 value in
134 Appendix 17A is unlimited; or
- 135 (d) Other radioactive material in which the activity is distributed throughout
136 and the estimated average specific activity does not exceed 30 times the
137 value for exempt material activity concentration determined in
138 accordance with Appendix 17A.
- 139 (2) LSA-II.
- 140 (a) Water with tritium concentration up to 0.8 TBq/liter (20.0 Ci/liter); or
- 141 (b) Other radioactive material in which the activity is distributed throughout,
142 and the **estimated** average specific activity does not exceed $10^{-4} \times A_2/g$
143 for solids and gases, and $10^{-5} \times A_2/g$ for liquids.
- 144 (3) LSA-III. Solids (**e.g., consolidated wastes, activated materials**), **excluding**
145 **powders, that satisfy the requirements of 10 CFR 71.77**, in ~~and for~~ which:
- 146 (a) The radioactive material is distributed throughout a solid or a collection of
147 solid objects, or is essentially uniformly distributed in a solid compact
148 binding agent (such as concrete, bitumen, ~~or~~ ceramic, **etc.**); **and**
- 149 (b) The radioactive material is relatively insoluble, or it is intrinsically
150 contained in a relatively insoluble material, so that, even under loss of
151 packaging, the loss of radioactive material per package by leaching,
152 when placed in water for 7 days, ~~will~~**would** not exceed $0.1 \times A_2$; **and**
- 153 (c) The estimated average specific activity of the solid, **excluding any**
154 **shielding material**, does not exceed $2 \times 10^{-3} A_2/g$; and
- 155 ~~(d) — A specimen of the material has passed a leaching test, provided also~~
156 ~~that any differences between the specimen tested and the material to be~~
157 ~~transported were taken into account in determining whether the test~~
158 ~~requirements have been met.~~
- 159 (i) — ~~The specimen, representing no less than the entire contents of~~
160 ~~the package, must be immersed for 7 days in water at ambient~~
161 ~~temperature;~~
- 162 (ii) — ~~The volume of water to be used in the test must be sufficient to~~
163 ~~ensure that at the end of the test period the free volume of the~~
164 ~~unabsorbed and unreacted water remaining will be at least 10%~~
165 ~~of the volume of the specimen itself;~~
- 166 (iii) — ~~The water must have an initial pH of 6-8 and a maximum~~
167 ~~conductivity 10 micromho/cm at 20°C (68°F); and~~
- 168 (iv) — ~~The total activity of the free volume of water must be measured~~
169 ~~following the 7-day immersion test and must not exceed $0.1 \times A_2$.~~

Commented [jsj16]: The requirements pertaining to testing (for LSA-III materials) have not been eliminated but rather, are removed from Part 17 since they are addressed in 10 CFR 71.77 which is referenced as part of the LSA-III definition above.

170 "Low toxicity alpha emitters" means natural uranium, depleted uranium, natural thorium; uranium-
171 235, uranium-238, thorium-232, thorium-228 or thorium-230 when contained in ores or physical or
172 chemical concentrates or tailings; or alpha emitters with a half-life of less than 10 days.

- 173 “Nuclear waste” means, for the purposes of Part 17, a quantity of source, byproduct or special
174 nuclear material required to be in NRC-approved specification packaging while transported to,
175 through or across a state boundary to a disposal site, or to a collection point for transport to a
176 disposal site.
- 177 “Packaging” means the assembly of components necessary to ensure compliance with the
178 packaging requirements of 10 CFR 71. It may consist of one or more receptacles, absorbent
179 materials, spacing structures, thermal insulation, radiation shielding, and devices for cooling or
180 absorbing mechanical shocks. The vehicle, tie-down system, and auxiliary equipment may be
181 designated as part of the packaging.
- 182 “Quality assurance”, for the purposes of Part 17, comprises all those planned and systematic
183 actions necessary to provide adequate confidence that a system or component will perform
184 satisfactorily in service.
- 185 “Quality control”, for the purposes of Part 17, comprises those quality assurance actions that
186 relate to control of the physical characteristics and quality of the material or component to
187 predetermined requirements.
- 188 “Regulations of the DOT” means the regulations in 49 CFR Parts 100-189 and Parts 390-397
189 (October 1, ~~2006~~2016).
- 190 “Regulations of the NRC” means the regulations in 10 CFR 71 (January 1, ~~2014~~2016) for
191 purposes of Part 17.
- 192 “Surface contaminated object” (SCO) means a solid object that is not itself classed as radioactive
193 material, but which has radioactive material distributed on any of its surfaces. The SCO must be
194 in one of two groups with surface activity not exceeding the following limits:
- 195 (1) SCO-I: a solid object on which:
- 196 (a) The non-fixed contamination on the accessible surface averaged over
197 300 cm² (or the area of the surface if less than 300 cm²) does not exceed
198 4 Bq/cm² (10⁻⁴ microcurie/cm²) for beta, gamma and low toxicity alpha
199 emitters, or 0.4 Bq/cm² (10⁻⁵ microcurie/cm²) for all other alpha emitters;
- 200 (b) The fixed contamination on the accessible surface averaged over 300
201 cm² (or the area of the surface if less than 300 cm²) does not exceed 4 x
202 10⁴ Bq/cm² (1.0 microcurie/cm²) for beta, gamma and low toxicity alpha
203 emitters, or 4 x 10³ Bq/cm² (0.1 microcurie/cm²) for all other alpha
204 emitters; and
- 205 (c) The non-fixed contamination plus the fixed contamination on the
206 inaccessible surface averaged over 300 cm² (or the area of the surface if
207 less than 300 cm²) does not exceed 4 x 10⁴ Bq/cm² (1 microcurie/cm²)
208 for beta, gamma and low toxicity alpha emitters, or 4 x 10³ Bq/cm² (0.1
209 microcurie/cm²) for all other alpha emitters.
- 210 (2) SCO-II: a solid object on which the limits for SCO-I are exceeded and on which:
- 211 (a) The non-fixed contamination on the accessible surface averaged over
212 300 cm² (or the area of the surface if less than 300 cm²) does not exceed
213 400 Bq/cm² (10⁻² microcurie/cm²) for beta, gamma and low toxicity alpha
214 emitters or 40 Bq/cm² (10⁻³ microcurie/cm²) for all other alpha emitters;
- 215 (b) The fixed contamination on the accessible surface averaged over 300
216 cm² (or the area of the surface if less than 300 cm²) does not exceed 8 x
217 10⁵ Bq/cm² (20 microcuries/cm²) for beta, gamma and low toxicity alpha
218 emitters, or 8 x 10⁴ Bq/cm² (2 microcuries/cm²) for all other alpha
219 emitters; and

220 (c) The non-fixed contamination plus the fixed contamination on the
 221 inaccessible surface averaged over 300 cm² (or the area of the surface if
 222 less than 300 cm²) does not exceed 8 x 10⁵ Bq/cm² (20 microcuries/cm²)
 223 for beta, gamma and low toxicity alpha emitters, or 8 x 10⁴ Bq/cm² (2
 224 microcuries/cm²) for all other alpha emitters.

225 “Transport index” (TI) means the dimensionless number, rounded up the next tenth, placed on the
 226 label of a package to designate the degree of control to be exercised by the carrier during
 227 transportation. The transport index is the number determined by multiplying the maximum
 228 radiation level in millisievert (mSv) per hour at 1 meter (3.3 feet) from the external surface of the
 229 package by 100 (equivalent to the maximum radiation level in millirem per hour at 1 meter).

230 “Tribal official” means the highest ranking individual that represents Tribal leadership, such as the
 231 Chief, President, or Tribal Council leadership.

232 “Type A package” means a Type A packaging that, together with its radioactive contents limited
 233 to A1 or A2 as appropriate, meets the requirements of 49 CFR 173.410 and 173.412 and is
 234 designed to retain the integrity of containment and shielding required by Part 17 under normal
 235 conditions of transport as demonstrated by the tests set forth in 49 CFR 173.465 or 173.466, as
 236 appropriate.

237 “Type A packaging” means a packaging designed for a Type A package.

238 “Type AF package”, “Type BF package”, “Type B(U)F package”, and “Type B(M)F package” each
 239 means a fissile material packaging together with its fissile material contents.

240 “Type A quantity” means a quantity of radioactive material, the aggregate radioactivity of which
 241 does not exceed A1 for special form radioactive material or A2 for normal form radioactive
 242 material, where A1 and A2 are given in Appendix 17A or may be determined by procedures
 243 described in Appendix 17A.

244 “Type B package” means a Type B packaging together with its radioactive contents.²¹

245 ²¹ A Type B package design is designated as B(U) or B(M). On approval, a Type B package design is designated by NRC as B(U)
 246 unless the package has a maximum normal operating pressure of more than 700kPa (100 lb/in²) gauge or a pressure relief device
 247 that would allow the release of radioactive material to the environment under the tests specified in 10 CFR 71.73 (hypothetical
 248 accident conditions), in which case it will receive a designation B(M). B(U) refers to the need for unilateral approval of international
 249 shipments; B(M) refers to the need for multilateral approval of international shipments. No distinction is made in how packages with
 250 these designations may be used in domestic transportation. To determine their distinction for international transportation, refer to 49
 251 CFR Part 173. A Type B package approved prior to September 6, 1983 was designated only as Type B; limitations on its use are
 252 specified in 17.8.

253 “Type B packaging” means a packaging designed to retain the integrity of containment and
 254 shielding when subjected to the normal conditions of transport and hypothetical accident test
 255 conditions set forth 10 CFR Part 71.

256 “Type B quantity” means a quantity of radioactive material greater than a Type A quantity.

257 **“Uranium – natural, depleted, enriched”.**

258 **(1) “Natural uranium” means, for the purposes of Part 17, uranium (which may be**
 259 **chemically separated) with the naturally occurring distribution of uranium isotopes**
 260 **(approximately 0.711 weight percent uranium-235 and the remainder by weight essentially**
 261 **uranium-238).**

262 **(2) “Depleted uranium” means, for the purposes of Part 17, uranium containing less**
 263 **uranium-235 than the naturally occurring distribution of uranium isotopes.**

264 **(3) “Enriched uranium” means, for the purposes of Part 17, uranium containing more**
 265 **uranium 235 than the naturally occurring distribution of uranium isotopes.**

266

Commented [jsj17]: Definitions specific to transportation of radioactive materials are added, consistent with 10 CFR Part 71.4 definitions and so as to not conflict with other similar definitions for non-transportation purposes.

NRC Compatibility “B”
[NRC RATS 2015-3](#)

267 **LICENSE-RELATED REGULATORY REQUIREMENTS**268 **17.3 Requirement for License.**

269 No person shall transport radioactive material or deliver radioactive material to a carrier for
 270 transport except as authorized in a general or specific license issued by the Department, an
 271 Agreement State, a Licensing State, or NRC, or as exempted in 17.4
 272

273 **17.4 Exemptions.**

274 17.4.1 Common and contract carriers, freight forwarders, and warehouse workers which are subject to
 275 the requirements of the DOT in 49 CFR 170 through 189, or the U.S. Postal Service in the Postal
 276 Service Manual (Domestic Mail Manual), are exempt from the requirements of Part 17 to the
 277 extent that they transport or store radioactive material in the regular course of their carriage for
 278 others or storage incident thereto. Common and contract carriers who are not subject to the
 279 requirements of the DOT or U.S. Postal Service are subject to 17.3 and other applicable
 280 requirements of these regulations.

281 17.4.2 Any licensee is exempt from the requirements of Part 17 with respect to shipment or carriage of
 282 the following low-level materials:

283 **17.4.2.1** Natural material and ores containing naturally occurring radionuclides that are
 284 **either in their natural state, not intended to be or have only been** processed for
 285 **purposes other than for the extraction of the radionuclides, and which are not**
 286 **intended to be processed for the** use of these radionuclides, provided the activity
 287 concentration of the material does not exceed 10 times the **applicable radionuclide**
 288 **activity concentration** values specified in Appendix 17A, Table 17A2, or **Table 17A3 of**
 289 **this part.**

290 **17.4.2.2** Materials for which the activity concentration is not greater than the activity
 291 concentration values specified in Appendix 17A, Table 17A2, or **Table 17A3 of this part,**
 292 **or** for which the consignment activity is not greater than the limit for an exempt
 293 consignment found in Appendix 17A, Table 17A2 **or Table 17A3 of this part.**

294 **17.4.2.3** **Non-radioactive solid objects with radioactive substances present on any**
 295 **surfaces in quantities not in excess of the levels cited in the definition of**
 296 **contamination in 17.2.**

297 17.4.3 Fissile materials meeting the requirements of one of the paragraphs (a) through (f) in 10 CFR
 298 71.15 are exempt from classification as fissile material, and from the fissile material package
 299 standards of 10 CFR 71.55 and 10 CFR 71.59, but are subject to all other requirements of 10
 300 CFR 71, except as noted in paragraphs (a) through (f) in 10 CFR 71.15.

301 17.4.4 Any physician licensed by a state to dispense drugs in the practice of medicine is exempt from
 302 17.5 with respect to transport by the physician of licensed material for use in the practice of
 303 medicine. However, any physician operating under this exemption must be licensed under Part 7
 304 or equivalent requirements of another Agreement State or NRC.

305 **17.5 Transportation of Licensed Material.**

306 17.5.1 Each licensee who transports licensed material outside the site of usage, as specified in the
 307 Department license, or where transport is on public highways, or who delivers licensed material to
 308 a carrier for transport, shall:

309 17.5.1.1 Comply with the applicable requirements, appropriate to the mode of transport, of
 310 the regulations of the DOT, particularly the regulations of the DOT in the following areas:

311 (1) Packaging - 49 CFR Part 173: Subparts A and B and I.

Commented [jsj18]: Language is updated, consistent with changes to 10 CFR 71.14(a)(1), 49 CFR, and IAEA transportation requirements (TS-R-1).

Consistent with federal rule, the added language clarifies the concept that processing ores and other naturally occurring materials - and the associated transport of such materials - may be needed for purposes other than for the materials radioactivity content.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)
 49 CFR 173.401(b)

Commented [jsj19]: Language is updated, consistent with changes to 10 CFR 71.14(a)(2) and IAEA transportation requirements in TS-R-1.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj20]: A new provision is added, consistent with changes to 10 CFR 71.14(a)(3).

Consistent with U.S. DOT requirements and for transportation purposes only, some solid items may be exempt from (radioactive material) transportation requirements even if they have contamination on their surfaces, provided levels are below those specified in the newly added definition of "contamination" as found in Section 17.2.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

- 312 (2) Marking and labeling - 49 CFR Part 172: Subpart D, § § 172.400 through
313 172.407, § § 172.436 through 172.441, and Subpart E.
- 314 (3) Placarding - 49 CFR Part 172: Subpart F, especially § § 172.500 through
315 172.519, 172.556, and Appendices B and C.
- 316 (4) Accident reporting - 49 CFR Part 171: § § 171.15 and 171.16.
- 317 (5) Shipping papers and emergency information - 49 CFR Part 172: Subparts C and
318 G.
- 319 (6) Hazardous material employee training - 49 CFR Part 172: Subpart H.
- 320 (7) Security plans - 49 CFR Part 172: Subpart I.
- 321 (8) Hazardous material shipper/carrier registration - 49 CFR Part 107: Subpart G.
- 322 17.5.1.2 The licensee shall also comply with applicable regulations of the DOT pertaining
323 to the following modes of transportation:
- 324 (1) Rail - 49 CFR Part 174: Subparts A through D, and K.
- 325 (2) Air - 49 CFR Part 175.
- 326 (3) Vessel - 49 CFR Part 176: Subparts A through F, and M.
- 327 (4) Public highway - 49 CFR Part 177 and Parts 390 through 397.
- 328 17.5.1.3 Assure that any special instructions needed to safely open the package are sent
329 to or have been made available to the consignee in accordance with 4.32.5.2.
- 330 17.5.2 If, for any reason, the regulations of the DOT are not applicable to a shipment of licensed
331 material, the licensee shall conform to the standards and requirements of 49 CFR Parts 170
332 through 189 appropriate to the mode of transport to the same extent as if the shipment was
333 subject to these regulations.

334 GENERAL LICENSES

335 17.6 General Licenses for Carriers.

336 17.6.1 A general license is hereby issued to any common or contract carrier not exempt under 17.4 to
337 receive, possess, transport, and store radioactive material in the regular course of their carriage
338 for others or storage incident thereto, provided the transportation and storage is in accordance
339 with the applicable requirements, appropriate to the mode of transport, of the DOT insofar as
340 such requirements relate to the loading and storage of packages, placarding of the transporting
341 vehicle, and incident reporting.³²

342 ³² Notification of an incident shall be filed with, or made to, the Department as prescribed in 49 CFR, regardless of and in addition
343 to the notification made to the DOT or other agencies.

344 17.6.2 A general license is hereby issued to any private carrier to transport radioactive material,
345 provided the transportation is in accordance with the applicable requirements, appropriate to the
346 mode of transport, of the DOT insofar as such requirements relate to the loading and storage of
347 packages, placarding of the transporting vehicle, and incident reporting.³

348 17.6.3 Persons who transport radioactive material pursuant to the general licenses in 17.6.1 and 17.6.2
349 are exempt from the requirements of Parts 4 and 10 of these regulations to the extent that they
350 transport radioactive material.

351 17.7 General License: NRC-Approved Packages.

352 17.7.1 A general license is hereby issued to any licensee of the Department to transport, or to deliver to
 353 a carrier for transport, licensed material in a package for which a license, **NRC issued**
 354 ~~e~~Certificate of ~~e~~Compliance, or other approval has been issued by the **NRC Department**.

Commented [JJ21]: Language updated based on a request from NRC. Agreement States such as Colorado do not have jurisdiction for issuing a Certificate of Compliance, so the language is clarified here.

 NRC Compatibility "B"
[NRC Letter April 6, 2017](#)

355 17.7.2 This general license applies only to a licensee who:

356 17.7.2.1 ~~H~~ has a quality assurance program approved by ~~NRC~~**the Department** as satisfying **the**
 357 **provisions of Subpart H (excluding 71.101(c)(2), (d), and (e) and 71.107 through 71.125) of**
 358 **10 CFR 71-Subpart H.**

Commented [JJ22]: As requested by NRC in correspondence dated April 6, 2017, the responsibility for review of a licensee quality assurance program within Colorado is the Colorado radiation program.

359 17.7.2.2 ~~Has a copy of the specific license, certificate of compliance, or other approval by~~
 360 ~~the NRC of the package and has the drawings and other documents referenced in the~~
 361 ~~approval relating to the use and maintenance of the packaging and to the action(s) to be~~
 362 ~~taken prior to shipment;~~

NRC Compatibility "B"
[NRC Letter April 6, 2017](#)

363 17.7.3 Each licensee issued a general license under Section 17.7.1 shall:

Commented [jsj23]: Language updated to exclude those provisions which are limited to NRC jurisdiction in subpart H of 10 CFR 71.

364 17.7.3.1 ~~Maintain a copy of the NRC issued Certificate of Compliance, or other~~
 365 ~~approval of the package, and the drawings and other documents referenced in the~~
 366 ~~approval relating to the use and maintenance of the packaging and to the actions~~
 367 ~~to be taken before shipment;~~

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

368 17.7.2.3.2 ~~Comply~~**Complies** with the terms and conditions of the license, **NRC issued**
 369 ~~e~~Certificate of **Compliance**, or other approval by the ~~NRC~~**Department**, as applicable,
 370 and the applicable requirements of **Subparts A (excluding 71.11), G (excluding**
 371 **71.85(a)-(c), and 71.91(b)), and H (excluding 71.101(c)(2), (d), and (e) and 71.107**
 372 **through 71.125) of 10 CFR 71**~~Part 47;~~

Commented [jsj24]: Provision 17.7.2.2 is deleted and replaced by the provisions of 17.7.3 for consistency with the language and formatting of 10 CFR 71.17.

373 17.7.2.4.3.3 Prior to the licensee's first use of the package, ~~has submitted~~**submit** to the
 374 ~~Department~~**NRC** in writing ~~in accordance with 10 CFR 71.17(c)(3);~~

Commented [jsj25]: Language is updated, consistent with 10 CFR 71.17(c)(1).

- 375 (1) The licensee's name and license number; and
- 376 (2) The package identification number specified in the package approval; ~~and~~

The revised language is similar to that in prior section 17.7.2.2 and conveys similar requirements, with the exception that a copy of the specific license is not explicitly required.

NRC Compatibility "B"

377 17.7.3.4 The general license in 17.7.1 applies only when the package approval authorizes use of the
 378 package under this general license.

Commented [jsj26]: Section renumbered and language is updated, consistent with formatting and language of 10 CFR 71.17(c)(2).

379 17.7.4.5 For a Type B or fissile material package, the design of which was approved by NRC before April
 380 1, 1996, the general license in 17.7.1 is subject to additional restrictions of 10 CFR 71.19.

Due to differences in the format between Part 17 and 10 CFR 71, "has submitted"(past) is replaced with "submit" (active).
 NRC Compatibility "B"

381 **17.8 General Licenses: Use of Foreign-Approved and Other Approved Packages**

Commented [JJ27]: To avoid confusion and partial duplication of regulatory requirements, the reference to Part 17 is deleted, thereby deferring to 10 CFR Part 71.

382 17.8.1 A general license is issued to any licensee of the Department to transport, or to deliver to a
 383 carrier for transport, licensed material in a package the design of which has been approved in a
 384 foreign national competent authority certificate, ~~and that has been~~ revalidated by the DOT as
 385 meeting the applicable requirements of 49 CFR ~~171.12~~**171.23**.

Commented [jsj28]: Language is updated, consistent with 10 CFR 71.21(a).

A prior USDOT rulemaking relocated the requirements in 49 CFR 171.12 to 171.23, so the cross-reference is updated here.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

386 17.8.2 **Except as otherwise provided in this section, the general license applies only to a licensee**
 387 **who has a quality assurance program approved by the Department**~~NRC~~ **as satisfying the**
 388 **applicable provisions of 10 CFR 71.101 through 71.137, excluding 71.101(c)(2), (d), and (e)**
 389 **and 71.107 through 71.125.**

Commented [jsj29]: Language is added, consistent with 10 CFR 71.21(b).

390 17.8.3 This general license applies only to **shipments made to or from locations outside the United**
 391 **States:**

Commented [jsj30]: Language is updated, consistent with 10 CFR 71.21(c).

NRC Compatibility "B"
[NRC RATS 2015-3](#)

392 17.8.1.1 ~~Shipments made to or from locations outside the United States; and~~

Commented [jsj31]: Language of 17.8.1.1 merged into 17.8.3, consistent with phrasing and format of 10 CFR 71.21(c).

393 17.8.1.2 ~~A licensee who:~~

Commented [jsj32]: Replaced by new 17.8.4., consistent with phrasing and format of 10 CFR 71.21(d).

394 **17.8.4 Each licensee issued a general license under Section 17.8.1 shall:**

395 ~~(1) Has a quality assurance program approved by NRC;~~

396 (2)(1) **Has** ~~Complies~~ with the applicable certificate, the revalidation, and the
397 drawings and other documents referenced in the certificate, relating to the use
398 and maintenance of the packaging and to the actions to be taken ~~prior to~~ **before**
399 shipment; **and**

400 ~~(3) Complies with the terms and conditions of the certificate and revalidation; and~~

401 (4)(2) **Comply with the terms and conditions of the certificate and revalidation,**
402 **and** ~~Complies~~ with the applicable requirements of Part 17, sections 17.1 through
403 17.5, 17.10 through 17.17, and **Subparts A (excluding 71.11), G (excluding**
404 **71.85(a)-(c), and 71.91(b)), and H (excluding 71.101(c)(2), (d), and (e) and**
405 **71.107 through 71.125) of 10 CFR 71** ~~10 CFR 71 Subparts A, G, and H. With~~
406 ~~respect to the quality assurance provisions of 10 CFR 71 Subpart H, the licensee~~
407 ~~is exempt from design, construction, and fabrication considerations.~~

408 **17.9 General Licenses: Fissile Material Transport**

409 17.9.1 A general license is hereby issued to any licensee to transport fissile material, or to deliver fissile
410 material to a carrier for transport, if the licensee meets the requirements of 10 CFR 71.22 and the
411 material is shipped in accordance with 10 CFR 71.22 and each applicable requirement of Part 17.

412 17.9.2 A general license is hereby issued to any licensee to transport fissile material in the form of
413 plutonium-beryllium (Pu-Be) special form sealed sources, or to deliver fissile material in the form
414 of plutonium-beryllium (Pu-Be) special form sealed sources to a carrier for transport, if the
415 licensee meets the requirements of 10 CFR 71.23 and the material is shipped in accordance with
416 10 CFR 71.23 and each applicable requirement of Part 17.

417 **QUALITY ASSURANCE**

418 **17.10 Quality Assurance Requirements.**

419 **17.10.1 Subpart H of 10 CFR 71 describes quality assurance requirements applying to design,**
420 **purchase, fabrication, handling, shipping, storing, cleaning, assembly, inspection, testing,**
421 **operation, maintenance, repair, and modification of components of packaging that are**
422 **important to safety. As used in Subpart H of 10 CFR 71, "quality assurance" comprises all**
423 **those planned and systematic actions necessary to provide adequate confidence that a**
424 **system or component will perform satisfactorily in service. Quality assurance includes**
425 **quality control, which comprises those quality assurance actions related to control of the**
426 **physical characteristics and quality of the material or component to predetermined**
427 **requirements.**

428 **Each licensee is responsible for satisfying the quality assurance requirements that apply**
429 **to its use of a packaging for the shipment of licensed material subject to the applicable**
430 **requirements of Subpart H of 10 CFR 71 (excluding 71.101(c)(2), (d), and (e) and 71.107**
431 **through 71.125).**

432 **17.10.2 Radiography containers.**

433 **A program for transport container inspection and maintenance limited to radiographic**
434 **exposure devices, source changers, or packages transporting these devices and meeting**
435 **the requirements of Part 5, sections 5.12(4) through 5.12(6) or equivalent Agreement State**
436 **or NRC requirement, is deemed to satisfy the requirements of 17.7.2 and 10 CFR 71.101(b).**

437 ~~17.10.1 Quality assurance requirements apply to design, purchase, fabrication, handling, shipping,~~
438 ~~storing, cleaning, assembly, inspection, testing, operation, maintenance, repair, and modification~~
439 ~~of components of packaging that are important to safety.~~

Commented [jsj33]: Replaced by new 17.8.2., consistent with phrasing and format of 10 CFR 71.21.

Commented [jsj34]: Deleted due to replacement by 17.8.4(2), consistent with phrasing and format of 10 CFR 71.21.

Commented [jsj35]: Last sentence deleted, consistent with changes to 10 CFR 71.21(d)(2), which also removed this provision.

Exceptions to the references in Subparts A, G, and H of 10 CFR Part 21 are added since some provisions of Subpart H are under NRC only jurisdiction.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [JJ36]: Due to the potential overlap in provisions of Part 17 and 10 CFR Part 71 as discussed in correspondence from NRC to Colorado, most original provisions in this section are removed in order to defer to the 10 CFR Part 71 requirements that are within Colorado's jurisdiction.

NRC Compatibility "B"
[NRC Letter April 6, 2017](#)
Subpart H – Quality Assurance 71.101 through 71.137
[NRC RATS 2015-3](#)

- 440 17.10.1.1 — The licensee, certificate holder, and applicant for a COC are responsible for
 441 complying with the quality assurance requirements which apply to design, fabrication,
 442 testing, and modification of packaging.
- 443 17.10.1.2 — Each licensee is responsible for complying with each quality assurance provision
 444 which applies to the licensee's use of a packaging for the shipment of licensed material
 445 subject to the requirements of 10 CFR 71 and Part 17.
- 446 17.10.2 Each licensee, certificate holder, and applicant for a COC shall:
- 447 17.10.2.1 — Be responsible to establish, maintain, and execute a quality assurance program
 448 that, using a graded approach to an extent that is commensurate with each quality
 449 assurance requirement's importance to safety, satisfies
- 450 — (1) — Each applicable criterion of 10 CFR 71.101 through 71.137; and
- 451 (2) — Any specific provision that is applicable to the licensee's activities including
 452 procurement of packaging.
- 453 17.10.2.2 — Be subject to each requirement that is applicable, whether the term "licensee" is
 454 or is not used in the requirement, for whatever design, fabrication, assembly, and testing
 455 of the package is accomplished with respect to a package before the time a package
 456 approval is issued.
- 457 17.10.3 Before the use of any package for the shipment of licensed material subject Part 17, each
 458 licensee shall obtain NRC approval of its quality assurance program.
- 459 17.10.4 A program for transport container inspection and maintenance limited to radiographic exposure
 460 devices, source changers, or packages transporting these devices and meeting the requirements
 461 of 10 CFR 34.31(b), or equivalent Agreement State requirements, is deemed to satisfy the
 462 requirements of 17.7 and 17.10.2.
- 463 17.10.5 The licensee, certificate holder, and applicant for a COC shall be responsible for the
 464 establishment and execution of the quality assurance program.
- 465 17.10.5.1 — The licensee, certificate holder, and applicant for a COC may delegate to others,
 466 such as contractors, agents, or consultants, the work of establishing and executing the
 467 quality assurance program, or any part of the quality assurance program, but shall retain
 468 responsibility for the program.
- 469 17.10.5.2 — The licensee shall clearly establish and delineate, in writing, the authority and
 470 duties of persons and organizations performing activities affecting the safety-related
 471 functions of structures, systems, and components, including performing the functions
 472 associated with attaining quality objectives and the quality assurance functions.
- 473 17.10.6 The quality assurance functions are:
- 474 17.10.6.1 — Assuring that an appropriate quality assurance program is established and
 475 effectively executed; and
- 476 17.10.6.2 — Verifying, by procedures such as checking, auditing, and inspection, that
 477 activities affecting the safety-related functions have been performed correctly.
- 478 17.10.7 The persons and organizations performing quality assurance functions must have sufficient
 479 authority and organizational freedom to:
- 480 17.10.7.1 — Identify quality problems;
- 481 17.10.7.2 — Initiate, recommend, or provide solutions; and

Commented [JJ37]: The requirements of 17.10.4 have been updated and incorporated into 17.10.2 (above).

482 17.10.7.3 — Verify implementation of solutions.

483 **17.11 Advance Notification of Shipment of Nuclear Waste.**

484 17.11.1 As specified in 17.11.3, 17.11.4, and 17.11.5, each licensee shall provide advance notification to
485 the governor of a state, or the governor's designee, of the shipment of licensed material (nuclear
486 waste), within or across the boundary of the state, before the transport, or delivery to a carrier, for
487 transport, of licensed material outside the confines of the licensee's plant or other place of use or
488 storage.

489 17.11.2 As specified in 17.11.3, 17.11.4, and 17.11.5 of this section, after June 11, 2013, each licensee
490 shall provide advance notification to the Tribal official of participating Tribes referenced in
491 17.11.4.3(3), or the official's designee, of the shipment of licensed material, within or across the
492 boundary of the Tribe's reservation, before the transport, or delivery to a carrier, for transport, of
493 licensed material outside the confines of the licensee's plant or other place of use or storage.

494 17.11.3 Advance notification is also required under this section for the shipment of licensed material,
495 other than irradiated fuel, meeting the following three conditions:

496 17.11.3.1 The licensed material is required by this part to be in Type B packaging for
497 transportation;

498 17.11.3.2 The licensed material is being transported to or across a state boundary en route
499 to a disposal facility or to a collection point for transport to a disposal facility; and

500 17.11.3.3 The quantity of licensed material in a single package exceeds the least of the
501 following:

502 (1) 3000 times the A_1 value of the radionuclides as specified in Appendix 17A, Table
503 A1 for special form radioactive material; or

504 (2) 3000 times the A_2 value of the radionuclides as specified in Appendix 17A, Table
505 A1 for normal form radioactive material; or

506 (3) 1000 TBq (27,000 Ci).

507 17.11.4 Procedures for submitting advance notification

508 17.11.4.1 The notification must be made in writing to:

509 (1) The office of each appropriate governor or governor's designee;

510 (2) The office of each appropriate Tribal official or Tribal official's designee;

511 (3) The Department.

512 17.11.4.2 A notification delivered by mail must be postmarked at least 7 days before the
513 beginning of the 7 day period during which departure of the shipment is estimated to
514 occur.

515 17.11.4.3 A notification delivered by any other means than mail must reach the office of the
516 governor or of the governor's designee or the Tribal official, or Tribal official's designee at
517 least 4 days before the beginning of the 7-day period during which departure of the
518 shipment is estimated to occur.

519 (1) A list of the names and mailing addresses of the governors' designees receiving
520 advance notification of transportation of nuclear waste was published in the
521 Federal Register on June 30, 1995 (60 FR 34306)

522 (2) ~~The list of governor's designees and Tribal official's designees of participating~~
 523 ~~Tribes will be published annually in the Federal Register on or about June 30th to~~
 524 ~~reflect any changes in information. Contact information for each State,~~
 525 ~~including telephone and mailing addresses of governors and governors'~~
 526 ~~designees, and participating Tribes, including telephone and mailing~~
 527 ~~addresses of Tribal officials and Tribal official's designees, is available on~~
 528 ~~the NRC Web site at: <https://scp.nrc.gov/special/designee.pdf>.~~

Commented [jsj38]: Language is updated, consistent with NRC regulations in 10 CFR 71.97(c) (3)(ii) which was amended in 2015.

Rather than publishing in the federal register annually, the contact list will be maintained by NRC on NRC's web site.

NRC RATS 2015-5
NRC Compatibility "B"

529 (3) A list of the names and mailing addresses of the governor's designees and Tribal
 530 official's designees of participating Tribes is available on request from the
 531 Director, Division of **Material Safety, State, Tribal, and Rulemaking Programs,**
 532 **Office of Nuclear Material Safety and Safeguards,** ~~Intergovernmental Liaison~~
 533 ~~and Rulemaking, Office of Federal and State Materials and Environmental~~
 534 ~~Management Programs,~~ U.S. Nuclear Regulatory Commission, Washington, DC
 535 20555-0001.

Commented [jsj39]: Address corrected, consistent with NRC regulations in 10 CFR 71.97(c)(3)(ii).

The change is necessary due to a reorganization at NRC.

536 17.11.4.4 The licensee shall retain a copy of the notification as a record for 3 years.

537 17.11.5 Information to be furnished in advance notification of shipment.

538 17.11.5.1 Each advance notification of nuclear waste shall contain the following
 539 information:

540 (1) The name, address, and telephone number of the shipper, carrier, and receiver
 541 of the nuclear waste shipment;

542 (2) A description of the nuclear waste contained in the shipment, as required by 49
 543 CFR 172.202 and 172.203(d);

544 (3) The point of origin of the shipment and the 7-day period during which departure
 545 of the shipment is estimated to occur;

546 (4) The 7-day period during which arrival of the shipment at state boundaries or
 547 Tribal reservation boundaries is estimated to occur;

548 (5) The destination of the shipment, and the 7-day period during which arrival of the
 549 shipment is estimated to occur; and

550 (6) A point of contact with a telephone number for current shipment information.

551 17.11.6 Revision notice

552 17.11.6.1 A licensee who finds that schedule information previously furnished to a governor
 553 or governor's designee or a Tribal official or Tribal official's designee, in accordance with
 554 this section, will not be met, shall:

555 (1) Telephone a responsible individual in the office of the governor of the state or of
 556 the governor's designee or the Tribal official or Tribal official's designee an inform
 557 that individual of the extent of the delay beyond the schedule originally reported;
 558 and

559 (2) Maintain a record of the name of the individual contacted for 3 years.

560 17.11.7 Cancellation notice

561 17.11.7.1 Each licensee who cancels a nuclear waste shipment, for which advance
 562 notification has been sent, shall:

- 563 (1) Send a cancellation notice to the governor of each state, or governor's designee
564 previously notified, each Tribal official or Tribal official's designee previously
565 notified and to the Department;
- 566 (2) State in the notice that it is a cancellation and identify the advance notification
567 that is being cancelled; and
- 568 (3) Retain a copy of the notice for 3 years.

569 17.12 Air Transport of Plutonium.

570 Notwithstanding the provisions of any general licenses and notwithstanding any exemptions stated
571 directly in this part or included indirectly by citation of the regulations of the DOT, as may be applicable,
572 the licensee shall assure that plutonium in any form is not transported by air, or delivered to a carrier for
573 air transport, unless:

574 17.12.1 The plutonium is contained in a medical device designed for individual human application; or

575 17.12.2 The plutonium is contained in a material in which the specific activity is less than or equal to the
576 activity concentration values for plutonium specified in Appendix 17A, Table 17A-1, and in which
577 the radioactivity is essentially uniformly distributed; or

578 17.12.3 The plutonium is shipped in a single package containing no more than an A2 quantity of
579 plutonium in any isotope or form and is shipped in accordance with 17.5; or

580 17.12.4 The plutonium is shipped in a package specifically authorized (in the eCertificate of eCompliance
581 issued by the NRC for that package) for the shipment of plutonium by air and the licensee
582 requires, through special arrangement with the carrier, compliance with 49 CFR 175.704, the
583 regulations of the DOT applicable to the air transport of plutonium.

584 OPERATING CONTROLS AND PROCEDURES

585 17.13 Fissile Material: Assumptions as to Unknown Properties of Fissile Material.

586 When the isotopic abundance, mass, concentration, degree of irradiation, degree of moderation, or other
587 pertinent property of fissile material in any package is not known, the licensee shall package the fissile
588 material as if the unknown properties had credible values that would cause the maximum neutron
589 multiplication.

590 17.14 Preliminary Determinations.

591 ~~Prior to~~ **Before** the first use of any packaging for the shipment of radioactive material **the licensee shall**
592 **ascertain that the determinations in paragraphs (a) through (c) of 10 CFR 71.85 have been made**
593 **by the certificate holder.:**

594 ~~17.14.1 The licensee shall ascertain that there are no defects which could significantly reduce the~~
595 ~~effectiveness of the packaging;~~

596 ~~17.14.2 Where the maximum normal operating pressure will exceed 35 kilopascal (5 pounds per square~~
597 ~~inch) gauge, the licensee shall test the containment systems at an internal pressure at least 50~~
598 ~~percent higher than the maximum normal operating pressure to verify the capability of that~~
599 ~~system to maintain its structural integrity at that pressure;~~

600 ~~17.14.3 The licensee shall determine that the packaging has been fabricated in accordance with the~~
601 ~~design approved by the NRC; and~~

602 ~~17.14.4 The licensee shall conspicuously and durably mark the packaging with its model number, serial~~
603 ~~number, gross weight, and a package identification number as assigned by the NRC.~~

604 17.15 Routine Determinations.

Commented [jsj40]: Language added consistent with 10 CFR 71.85(d).

The intent of the revised provision is to ensure that the (shipping package) certificate holders are responsible for certain actions and have made the required preliminary determinations.

NOTE: The phrase "by the certificate holder" is not included in 10 CFR 71, but is added for clarity.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj41]: The provisions in 17.14.1 through 17.14.4 are deleted, due to a 2015 change in NRC compatibility level "B" to compatibility "NRC" for these specific regulations. Due to this change in compatibility, the requirements are no longer under state jurisdiction. (The equivalent items remain in federal rule and can be found in 10 CFR 71.85(a) through 71.85(c)).

Provisions that are designated as "NRC" compatibility are elements that cannot be relinquished to Agreement States such as Colorado and therefore states should not adopt (or must remove) these regulatory provisions.

NRC Compatibility "NRC"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

- 605 Prior to each shipment of licensed material, the licensee shall determine that:
- 606 17.15.1 The package is proper for the contents to be shipped;
- 607 17.15.2 The package is in unimpaired physical condition except for superficial defects such as marks or
608 dents;
- 609 17.15.3 Each closure device of the packaging, including any required gasket, is properly installed and
610 secured and free of defects;
- 611 17.15.4 Any system for containing liquid is adequately sealed and has adequate space or other specified
612 provision for expansion of the liquid;
- 613 17.15.5 Any pressure relief device is operable and set in accordance with written procedures;
- 614 17.15.6 The package has been loaded and closed in accordance with written procedures;
- 615 17.15.7 Any structural part of the package which could be used to lift or tie down the package during
616 transport is rendered inoperable for the purpose unless it satisfies design requirements specified
617 in 10 CFR 71.45;
- 618 17.15.8 The level of non-fixed (removable) radioactive contamination on the external surfaces of each
619 package offered for shipment is as low as reasonably achievable and within the limits specified in
620 49 CFR 173.443.
- 621 17.15.8.1 Determination of the level of non-fixed (removable) contamination shall be based
622 upon wiping an area of 300 square centimeters of the surface concerned with an
623 absorbent material, using moderate pressure, and measuring the activity on the wiping
624 material.
- 625 (1) The number and location of measurements shall be sufficient to yield a
626 representative assessment of the removable contamination levels.
- 627 (2) Other methods of assessment of equal or greater detection efficiency may be
628 used.
- 629 17.15.8.2 In the case of packages transported as exclusive use shipments by rail or
630 highway only, the non-fixed (removable) radioactive contamination:
- 631 (1) At the beginning of transport shall not exceed the levels specified in 49 CFR
632 173.443; and
- 633 (2) At any time during transport shall not exceed 10 times the levels specified in 49
634 CFR 173.443.
- 635 17.15.9 External radiation levels around the package and around the vehicle, if applicable, shall not
636 exceed:
- 637 17.15.9.1 2 mSv/h (200 millirem per hour) at any point on the external surface of the
638 package at any time during transportation;
- 639 17.15.9.2 A transport index of 10.0.
- 640 17.15.10 For a package transported in exclusive use by rail, highway or water, radiation levels
641 external to the package may exceed the limits specified in 17.15.9 but shall not exceed any of the
642 following:
- 643 17.15.10.1 2 mSv/h (200 millirem per hour) on the accessible external surface of the
644 package unless the following conditions are met, in which case the limit is 10 mSv/h
645 (1000 millirem per hour);

- 646 (1) The shipment is made in a closed transport vehicle,
- 647 (2) Provisions are made to secure the package so that its position within the vehicle
648 remains fixed during transportation, and
- 649 (3) No loading or unloading operation occurs between the beginning and end of the
650 transportation.
- 651 17.15.10.2 2 mSv/h (200 millirem per hour) at any point on the outer surface of the vehicle,
652 including the upper and lower surfaces, or, in the case of a flat-bed style vehicle, with a
653 personnel barrier, at any point on the vertical planes projected from the outer edges of
654 the vehicle, on the upper surface of the load (or enclosure, if used), and on the lower
655 external surface of the vehicle;
- 656 (1) A flat bed style vehicle with a personnel barrier shall have radiation levels
657 determined at vertical planes.
- 658 (2) If no personnel barrier is in place, the package cannot exceed 2 mSv/h (200
659 millirem per hour) at any accessible surface.
- 660 17.15.10.3 0.1 mSv/h (10 millirem per hour) at any point 2 meters from the vertical planes
661 represented by the outer lateral surfaces of the vehicle, or, in the case of a flat-bed style
662 vehicle, at any point 2 meters from the vertical planes projected from the outer edges of
663 the vehicle; and
- 664 17.15.10.4 0.02 mSv/h (2 millirem per hour) in any normally occupied positions of the
665 vehicle, except that this provision does not apply to private motor carriers when persons
666 occupying these positions are provided with special health supervision, personnel
667 radiation exposure monitoring devices, and training in accordance with 10.3; and
- 668 17.15.11 For shipments made under the provisions of Section 17.15.10, the shipper shall provide
669 specific written instructions to the carrier for maintenance of the exclusive use shipment controls.
670 The instructions must be included with the shipping paper information.
- 671 17.15.12 The written instructions required for exclusive use shipments must be sufficient so that,
672 when followed, they will cause the carrier to avoid actions that will:
- 673 17.15.12.1 Unnecessarily delay delivery; or
- 674 17.15.12.2 Unnecessarily result in increased radiation levels or radiation exposures to
675 transport workers or members of the general public.
- 676 17.15.13 A package must be prepared for transport so that in still air at 100 degrees Fahrenheit
677 (38 degrees Celsius) and in the shade, no accessible surface of a package would have a
678 temperature exceeding 50 degrees Celsius (122 degrees Fahrenheit) in a nonexclusive use
679 shipment or 82 degrees Celsius (185 degrees Fahrenheit) in an exclusive use shipment.
680 Accessible package surface temperatures shall not exceed these limits at any time during
681 transportation.
- 682 17.15.14 A package may not incorporate a feature intended to allow continuous venting during
683 transport.
- 684 17.15.15 Before delivery of a package to a carrier for transport, the licensee shall ensure that any
685 special instructions needed to safely open the package have been sent to the consignee, or
686 otherwise made available to the consignee, for the consignee's use in accordance with 4.32.5.2.

687 **REPORTS AND RECORDS**

688 **17.16 Reports.**

- 689 The licensee shall report to the Department within 30 days:
- 690 17.16.1 Any instance in which there is significant reduction in the effectiveness of any packaging during
- 691 use; and
- 692 17.16.2 Details of any defects with safety significance in the packaging after first use, with the means
- 693 employed to repair the defects and prevent their recurrence; and
- 694 17.16.3 Instances in which the conditions of approval in the eCertificate of eCompliance were not
- 695 observed in making a shipment.

696 **17.17 Shipment Records.**

697 **17.17.1** Each licensee shall maintain, for a period of 3 years after shipment, a record of each shipment of
 698 licensed material not exempt under 17.4 showing, where applicable:

- 699 17.17.1.1 Identification of the packaging by model number and serial number;
- 700 17.17.1.2 Verification that the packaging, as shipped, had no significant defect;
- 701 17.17.1.3 Volume and identification of coolant;
- 702 17.17.1.4 Type and quantity of licensed material in each package, and the total quantity of
- 703 each shipment;

704 **17.17.1.5 For each item of irradiated fissile material:**

- 705 (1) Identification by model number and serial number;
- 706 (2) Irradiation and decay history to the extent appropriate to
- 707 demonstrate that its nuclear and thermal characteristics comply
- 708 with license conditions; and
- 709 (3) Any abnormal or unusual condition relevant to radiation safety;

710 **17.17.1.6** Date of the shipment;

711 **17.17.1.67 For fissile packages and for Tybe B packages, any special controls**
 712 **exercised;**

713 **17.17.1.8** Name and address of the transferee;

714 **17.17.1.79** Address to which the shipment was made; and

715 **17.17.1.810** Results of the determinations required by 17.15 and by the conditions of the
 716 package approval.

717 **17.17.2 The licensee, certificate holder, and an applicant for a COC, shall make available to the**
 718 **Department for inspection, upon reasonable notice, all records required by this part. Records are**
 719 **only valid if stamped, initialed, or signed and dated by authorized personnel, or otherwise**
 720 **authenticated.**

721 **17.17.3 The licensee, certificate holder, and an applicant for a COC shall maintain sufficient**
 722 **written records to furnish evidence of the quality of packaging.**

723 **17.17.3.1 The records to be maintained shall include:**

- 724 (1) Results of the determinations required by 17.1410 CFR 71.85(a)
- 725 through (c);
- 726 (2) Design, fabrication, and assembly records;
- 727
- 728
- 729

Commented [jsj42]: Provision added, consistent with 10 CFR 71.91(a)(5).

NRC RATS 2015-3 changed the compatibility level for this provision from a lower level "D" (not required for compatibility) to a compatibility category "C", which is now required for compatibility. Therefore, a number of items previously excluded from the rule are now added into the draft rule.

NRC Compatibility "C"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj43]: Provision added, consistent with 10 CFR 71.91(a)(7).

NRC RATS 2015-3 changed the compatibility level for this provision from a lower level "D" (not required for compatibility) to a compatibility category "C", which is now required for compatibility.

NRC Compatibility "C"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj44]: Provision added, consistent with 10 CFR 71.91(c).

NRC RATS 2015-3 changed the compatibility level for this provision from a lower level "D" (not required for compatibility) to a compatibility category "C", which is now required for compatibility.

NRC Compatibility "C"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj45]: Provision added, consistent with 10 CFR 71.91(d).

NRC RATS 2015-3 changed the compatibility level for this provision from a lower level "D" (not required for compatibility) to a compatibility category "C", which is now required for compatibility.

NRC Compatibility "C"
 NRC RATS 2015-3 [80 FR 33987 \(June 12, 2015\)](#)

Commented [JJ46]: As a result of the change in compatibility category of 17.14 to "NRC" (only) jurisdiction and the subsequent removal of most provisions in 17.14, the reference for recordkeeping is modified to refer to 10 CFR 71.

NRC Compatibility "C"
 RATS 2015-3
 10 CFR 71.91(c)-(d)

- 730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750

751
752
- (3) Results of reviews, inspections, tests, and audits; results of monitoring work performance and materials analyses; and
- (4) Results of maintenance, modification, and repair activities.
- 17.17.3.2** Inspection, test, and audit records must identify:
- (1) The inspector or data records,
- (2) The type of observation,
- (3) The results,
- (4) The acceptability, and
- (5) The action taken in connection with any deficiencies noted.
- 17.17.3.3** The records required by 17.17.3. must be retained for 3 years after the life of the packaging to which they apply.

753 **Appendix 17A - Determination of A₁ and A₂**

754 **17A1** Values of A₁ and A₂ for individual radionuclides, which are the bases for many activity limits
 755 elsewhere in these regulations are given in Table 17A1. The curie (Ci) values specified are
 756 obtained by converting from the Terabecquerel (TBq) **value figure**. The Terabecquerel values are
 757 the regulatory standard. The curie values are for information only and are not intended to be the
 758 regulatory standard. ~~The curie values are expressed to three significant figures to assure that the~~
 759 ~~difference in the TBq and Ci quantities is one-tenth of one percent or less.~~ Where values of A₁ or
 760 A₂ are unlimited, it is for radiation control purposes only. For nuclear criticality safety, some
 761 materials are subject to controls placed on fissile material.

762 **17A2** For individual radionuclides whose identities are known, but which are:

763 **17A2.1** Not listed in Table 17A1:

- 764 (1) The A₁ and A₂ values Table 17A3 may be used.
- 765 (2) Otherwise, the licensee shall obtain prior NRC approval of the A₁ and A₂ values
 766 for radionuclides not listed in Table 17A1, before shipping the material. The
 767 licensee shall submit such request for prior approval to NRC in accordance with
 768 10 CFR 71.1.

769 **17A2.2** Not listed in Table 17A2:

- 770 (1) The exempt material activity concentration and exempt consignment activity
 771 values contained in Table 17A3 may be used.
- 772 (2) Otherwise, the licensee shall obtain prior NRC approval of the exempt material
 773 activity concentration and exempt consignment activity values for radionuclides
 774 not listed in Table 17A2, before shipping the material. The licensee shall submit
 775 such request for prior approval to NRC in accordance with 10 CFR 71.1.

776 **17A3** In the calculations of A₁ and A₂ for a radionuclide not in Table 17A1, a single radioactive decay
 777 chain, in which radionuclides are present in their naturally occurring proportions, and in which no
 778 radioactive decay product nuclide has a half-life either longer than 10 days, or longer than that of
 779 the parent nuclide, shall be considered as a single radionuclide, and the activity to be taken into
 780 account, and the A₁ or A₂ value to be applied shall be those corresponding to the parent nuclide
 781 of that chain. In the case of radioactive decay chains in which any radioactive decay product
 782 nuclide has a half-life either longer than 10 days, or greater than that of the parent nuclide, the
 783 parent and those radioactive decay product nuclides shall be considered as mixtures of different
 784 nuclides.

785 **17A4** For mixtures of radionuclides whose identities and respective activities are known, the following
 786 conditions apply:

787 **17A4.1** For special form radioactive material, the maximum quantity transported in a Type A
 788 package is as follows:

$$789 \sum_i \frac{B(i)}{A_1(i)} \leq 1$$

790 where B(i) is the activity of radionuclide i **in special form**, and A₁(i) is the A₁ value for
 791 radionuclide i.

792 **17A4.2** For normal form radioactive material, the maximum quantity transported in a Type A
 793 package is as follows:

Commented [jsj47]: Page break inserted to ensure the appendix begins on a new page at time of final publication.

Commented [jsj48]: Language is updated, consistent with parallel provision in 10 CFR 71, Appendix A.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj49]: There is no change to the calculation formula in 17A4.2 – only the formula file type has changed.

The purpose of the change is to incorporate a graphics file format that allows for future editing.

$$\sum_i \frac{B(i)}{A_2(i)} \leq 1$$

794

$$\sum_i \frac{B(i)}{A_2(i)} \leq 1$$

795

796

797

where B(i) is the activity of radionuclide i in normal form, and A₂(i) is the A₂ value for radionuclide i.

17A4.3 If the package contains both special and normal form radioactive materials, the activity that may be transported in a Type A package is as follows:

Commented [jsj50]: This is a new provision and equation, added for consistency with 10 CFR 71, Appendix A, paragraph IV.c.

$$\sum_i \frac{B(i)}{A_1(i)} + \sum_j \frac{C(j)}{A_2(j)} \leq 1$$

800

Where B(i) is the activity of radionuclide i as special form radioactive material, A₁(i) is the A₁ value for radionuclide i, C(j) is the activity of radionuclide j as normal form radioactive material, and A₂(j) is the A₂ value for radionuclide j.

801

802

803

17A4.34 Alternatively, the A₁ value for mixtures of special form material may be determined as follows:

Commented [jsj51]: There is no change to the calculation formula in (renumbered) 17A4.4 – only the formula file type has changed.

$$A_1 \text{ for mixture} = \frac{1}{\sum_i \frac{f(i)}{A_1(i)}}$$

806

$$A_1 \text{ for mixture} = \frac{1}{\sum_i \frac{f(i)}{A_1(i)}}$$

807

where f(i) is the fraction of activity of nuclide i in the mixture and A₁(i) is the appropriate A₁ value for nuclide i.

808

809

17A4.45 Alternatively, the A₂ value for mixtures of normal form material may be determined as follows:

Commented [jsj52]: There is no change to the calculation formula in (renumbered) 17A4.5 – only the formula file type has changed.

$$A_2 \text{ for mixture} = \frac{1}{\sum_i \frac{f(i)}{A_2(i)}}$$

812

$$A_2 \text{ for mixture} = \frac{1}{\sum_i \frac{f(i)}{A_2(i)}}$$

813

where f(i) is the fraction of activity of nuclide i in the mixture and A₂(i) is the appropriate A₂ value for nuclide i.

814

815

17A4.56 The exempt activity concentration for mixtures of nuclides may be determined as follows:

Commented [jsj53]: Effectively, there is no change to the calculation formula in (renumbered) 17A4.6 – only the formula file type has changed as well as clarifying wording being added, consistent with 10 CFR 71, Appendix A.

816

817

The purpose of the change is to incorporate a graphics file format that allows for future editing.

$$[A] = \frac{1}{\sum_i \frac{f(i)}{[A](i)}}$$

818

$$\text{Exempt activity concentration for mixture} = \frac{1}{\sum_i \frac{f(i)}{[A](i)}}$$

819

where $f(i)$ is the fraction of activity concentration of radionuclide i in the mixture, and $[A](i)$ is the activity concentration for exempt material containing radionuclide i .

820

821

17A4.67 The activity limit for an exempt consignment for mixtures of radionuclides may be determined as follows:

822

823

$$A = \frac{1}{\sum_i \frac{f(i)}{A(i)}}$$

824

$$\text{Exempt consignment activity limit for mixture} = \frac{1}{\sum_i \frac{f(i)}{A(i)}}$$

825

where $f(i)$ is the fraction of activity of radionuclide i in the mixture, and $A(i)$ is the activity limit for exempt consignments for radionuclide i .

826

827

17A5 When the identity of each radionuclide is known, but the individual activities of some of the radionuclides are not known, the radionuclides may be grouped and the lowest A_1 or A_2 value, as appropriate, for the radionuclides in each group may be used in applying the formulas in 17A4. Groups may be based on the total alpha activity and the total beta/gamma activity when these are known, using the lowest A_1 or A_2 values for the alpha emitters and beta/gamma emitters.

828

829

830

831

832

17A6 When the identity of each radionuclide is known, but the individual activities of some of the radionuclides are not known, the radionuclides may be grouped and the lowest $[A]$ (activity concentration for exempt materials) or A (activity limit for exempt consignment) value, as appropriate, for the radionuclides in each group may be used in applying the formulas in 17A4. Groups may be based on the total alpha activity and the total beta/gamma activity when these are known, using the lowest $[A]$ or A values for the alpha emitters and beta/gamma emitters, respectively.

833

834

835

836

837

838

839

840

Commented [jsj54]: Similar to other equation editing, the graphics file format in this equation is updated to allow for future editing.

Commented [jsj55]: This is a new provision added for consistency with a similar provision in Appendix A of 10 CFR 71.V.b.

The added provision incorporates language when shipments involve concentrations of exempt materials that are not addressed by 17A5.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

841

TABLE 17A1: A₁ AND A₂ VALUES FOR RADIONUCLIDES

Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
Ac-225 (a)	Actinium (89)	8.0X10 ⁻¹	2.2X10 ¹	6.0X10 ⁻³	1.6X10 ⁻¹	2.1X10 ³	5.8X10 ⁴
Ac-227 (a)	.	9.0X10 ⁻¹	2.4X10 ¹	9.0X10 ⁻⁵	2.4X10 ⁻³	2.7	7.2X10 ¹
Ac-228	.	6.0X10 ⁻¹	1.6X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	8.4X10 ⁴	2.2X10 ⁶
Ag-105	Silver (47)	2.0	5.4X10 ¹	2.0	5.4X10 ¹	1.1X10 ³	3.0X10 ⁴
Ag-108m (a)	.	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	9.7X10 ⁻¹	2.6X10 ¹
Ag-110m (a)	.	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.8X10 ²	4.7X10 ³
Ag-111	.	2.0	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	5.8X10 ³	1.6X10 ⁵
Al-26	Aluminum (13)	1.0X10 ⁻¹	2.7	1.0X10 ⁻¹	2.7	7.0X10 ⁻⁴	1.9X10 ⁻²
Am-241	Americium (95)	1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	1.3X10 ⁻¹	3.4
Am-242m (a)	.	1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	3.6X10 ⁻¹	1.0X10 ¹
Am-243 (a)	.	5.0	1.4X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	7.4X10 ⁻³	2.0X10 ⁻¹
Ar-37	Argon (18)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	3.7X10 ³	9.9X10 ⁴
Ar-39	.	4.0X10 ¹	1.1X10 ³	2.0X10 ¹	5.4X10 ²	1.3	3.4X10 ¹
Ar-41	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.5X10 ⁶	4.2X10 ⁷
As-72	Arsenic (33)	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	6.2X10 ⁴	1.7X10 ⁶
As-73	.	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	8.2X10 ²	2.2X10 ⁴
As-74	.	1.0	2.7X10 ¹	9.0X10 ⁻¹	2.4X10 ¹	3.7X10 ³	9.9X10 ⁴
As-76	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	5.8X10 ⁴	1.6X10 ⁶
As-77	.	2.0X10 ¹	5.4X10 ²	7.0X10 ⁻¹	1.9X10 ¹	3.9X10 ⁴	1.0X10 ⁶
At-211 (a)	Astatine (85)	2.0X10 ¹	5.4X10 ²	5.0X10 ⁻¹	1.4X10 ¹	7.6X10 ⁴	2.1X10 ⁶
Au-193	Gold (79)	7.0	1.9X10 ²	2.0	5.4X10 ¹	3.4X10 ⁴	9.2X10 ⁵
Au-194	.	1.0	2.7X10 ¹	1.0	2.7X10 ¹	1.5X10 ⁴	4.1X10 ⁵
Au-195	.	1.0X10 ¹	2.7X10 ²	6.0	1.6X10 ²	1.4X10 ²	3.7X10 ³
Au-198	.	1.0	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	9.0X10 ³	2.4X10 ⁵
Au-199	.	1.0X10 ¹	2.7X10 ²	6.0X10 ⁻¹	1.6X10 ¹	7.7X10 ³	2.1X10 ⁵
Ba-131 (a)	Barium (56)	2.0	5.4X10 ¹	2.0	5.4X10 ¹	3.1X10 ³	8.4X10 ⁴
Ba-133	.	3.0	8.1X10 ¹	3.0	8.1X10 ¹	9.4	2.6X10 ²
Ba-133m	.	2.0X10 ¹	5.4X10 ²	6.0X10 ⁻¹	1.6X10 ¹	2.2X10 ⁴	6.1X10 ⁵
Ba-140 (a)	.	5.0X10 ⁻¹	1.4X10 ¹	3.0X10 ⁻¹	8.1	2.7X10 ³	7.3X10 ⁴
Be-7	Beryllium (4)	2.0X10 ¹	5.4X10 ²	2.0X10 ¹	5.4X10 ²	1.3X10 ⁴	3.5X10 ⁵
Be-10	.	4.0X10 ¹	1.1X10 ³	6.0X10 ⁻¹	1.6X10 ¹	8.3X10 ⁻⁴	2.2X10 ⁻²
Bi-205	Bismuth (83)	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	1.5X10 ³	4.2X10 ⁴
Bi-206	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	3.8X10 ³	1.0X10 ⁵
Bi-207	.	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	1.9	5.2X10 ¹
Bi-210	.	1.0	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	4.6X10 ³	1.2X10 ⁵
Bi-210m (a)	.	6.0X10 ⁻¹	1.6X10 ¹	2.0X10 ⁻²	5.4X10 ⁻¹	2.1X10 ⁻⁵	5.7X10 ⁻⁴
Bi-212 (a)	.	7.0X10 ⁻¹	1.9X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	5.4X10 ⁵	1.5X10 ⁷
Bk-247	Berkelium (97)	8.0	2.2X10 ²	8.0X10 ⁻⁴	2.2X10 ⁻²	3.8X10 ⁻²	1.0
Bk-249 (a)	.	4.0X10 ¹	1.1X10 ³	3.0X10 ⁻¹	8.1	6.1X10 ¹	1.6X10 ³
Br-76	Bromine (35)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	9.4X10 ⁴	2.5X10 ⁶
Br-77	.	3.0	8.1X10 ¹	3.0	8.1X10 ¹	2.6X10 ⁴	7.1X10 ⁵
Br-82	.	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁴	1.1X10 ⁶
C-11	Carbon (6)	1.0	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.1X10 ⁷	8.4X10 ⁸

TABLE 17A1: A ₁ AND A ₂ VALUES FOR RADIONUCLIDES							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
C-14	.	4.0X10 ⁻¹	1.1X10 ³	3.0	8.1X10 ¹	1.6X10 ⁻¹	4.5
Ca-41	Calcium (20)	Unlimited	Unlimited	Unlimited	Unlimited	3.1X10 ⁻³	8.5X10 ⁻²
Ca-45	.	4.0X10 ¹	1.1X10 ³	1.0	2.7X10 ¹	6.6X10 ²	1.8X10 ⁴
Ca-47 (a)	.	3.0	8.1X10 ¹	3.0X10 ⁻¹	8.1	2.3X10 ⁴	6.1X10 ⁵
Cd-109	Cadmium (48)	3.0X10 ¹	8.1X10 ²	2.0	5.4X10 ¹	9.6X10 ¹	2.6X10 ³
Cd-113m	.	4.0X10 ¹	1.1X10 ³	5.0X10 ⁻¹	1.4X10 ¹	8.3	2.2X10 ²
Cd-115 (a)	.	3.0	8.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.9X10 ⁴	5.1X10 ⁵
Cd-115m	.	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	9.4X10 ²	2.5X10 ⁴
Ce-139	Cerium (58)	7.0	1.9X10 ²	2.0	5.4X10 ¹	2.5X10 ²	6.8X10 ³
Ce-141	.	2.0X10 ¹	5.4X10 ²	6.0X10 ⁻¹	1.6X10 ¹	1.1X10 ³	2.8X10 ⁴
Ce-143	.	9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.5X10 ⁴	6.6X10 ⁵
Ce-144 (a)	.	2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	1.2X10 ²	3.2X10 ³
Cf-248	Californium (98)	4.0X10 ¹	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	5.8X10 ¹	1.6X10 ³
Cf-249	.	3.0	8.1X10 ¹	8.0X10 ⁻⁴	2.2X10 ⁻²	1.5X10 ⁻¹	4.1
Cf-250	.	2.0X10 ¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	4.0	1.1X10 ²
Cf-251	.	7.0	1.9X10 ²	7.0X10 ⁻⁴	1.9X10 ⁻²	5.9X10 ⁻²	1.6
Cf-252 (h)	.	51.0X10⁻²¹	4.42.7	3.0X10 ⁻³	8.1X10 ⁻²	2.0X10 ¹	5.4X10 ²
Cf-253 (a)	.	4.0X10 ¹	1.1X10 ³	4.0X10 ⁻²	1.1	1.1X10 ³	2.9X10 ⁴
Cf-254	.	1.0X10 ⁻³	2.7X10 ⁻²	1.0X10 ⁻³	2.7X10 ⁻²	3.1X10 ²	8.5X10 ³
Cl-36	Chlorine (17)	1.0X10 ¹	2.7X10 ²	6.0X10 ⁻¹	1.6X10 ¹	1.2X10 ⁻³	3.3X10 ⁻²
Cl-38	.	2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	4.9X10 ⁶	1.3X10 ⁸
Cm-240	Curium (96)	4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	7.5X10 ²	2.0X10 ⁴
Cm-241	.	2.0	5.4X10 ¹	1.0	2.7X10 ¹	6.1X10 ²	1.7X10 ⁴
Cm-242	.	4.0X10 ¹	1.1X10 ³	1.0X10 ⁻²	2.7X10 ⁻¹	1.2X10 ²	3.3X10 ³
Cm-243	.	9.0	2.4X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	1.9X10 ⁻³	5.2X10 ¹
Cm-244	.	2.0X10 ¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	3.0	8.1X10 ¹
Cm-245	.	9.0	2.4X10 ²	9.0X10 ⁻⁴	2.4X10 ⁻²	6.4X10 ⁻³	1.7X10 ⁻¹
Cm-246	.	9.0	2.4X10 ²	9.0X10 ⁻⁴	2.4X10 ⁻²	1.1X10 ⁻²	3.1X10 ⁻¹
Cm-247 (a)	.	3.0	8.1X10 ¹	1.0X10 ⁻³	2.7X10 ⁻²	3.4X10 ⁻⁶	9.3X10 ⁻⁵
Cm-248	.	2.0X10 ⁻²	5.4X10 ⁻¹	3.0X10 ⁻⁴	8.1X10 ⁻³	1.6X10 ⁻⁴	4.2X10 ⁻³
Co-55	Cobalt (27)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	1.1X10 ⁵	3.1X10 ⁶
Co-56	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.1X10 ³	3.0X10 ⁴
Co-57	.	1.0X10 ¹	2.7X10 ²	1.0X10 ¹	2.7X10 ²	3.1X10 ²	8.4X10 ³
Co-58	.	1.0	2.7X10 ¹	1.0	2.7X10 ¹	1.2X10 ³	3.2X10 ⁴
Co-58m	.	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	2.2X10 ⁵	5.9X10 ⁶
Co-60	.	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	4.2X10 ¹	1.1X10 ³
Cr-51	Chromium (24)	3.0X10 ¹	8.1X10 ²	3.0X10 ¹	8.1X10 ²	3.4X10 ³	9.2X10 ⁴
Cs-129	Cesium (55)	4.0	1.1X10 ²	4.0	1.1X10 ²	2.8X10 ⁴	7.6X10 ⁵
Cs-131	.	3.0X10 ¹	8.1X10 ²	3.0X10 ¹	8.1X10 ²	3.8X10 ³	1.0X10 ⁵
Cs-132	.	1.0	2.7X10 ¹	1.0	2.7X10 ¹	5.7X10 ³	1.5X10 ⁵
Cs-134	.	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	4.8X10 ¹	1.3X10 ³
Cs-134m	.	4.0X10 ¹	1.1X10 ³	6.0X10 ⁻¹	1.6X10 ¹	3.0X10 ⁵	8.0X10 ⁶
Cs-135	.	4.0X10 ¹	1.1X10 ³	1.0	2.7X10 ¹	4.3X10 ⁻⁵	1.2X10 ⁻³
Cs-136	.	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	2.7X10 ³	7.3X10 ⁴

Commented [jsj56]: A1 values are increased (made less restrictive) for Cf252, consistent with 2015 changes to 10 CFR 71, Table A-1.

Amended values are consistent with U.S. Department of Transportation (DOT) requirements, and International Atomic Energy Agency (IAEA) transportation regulations in [TS-R-1](#) (2009).

NRC Compatibility "B"
[NRC RATS 2015-3](#)
 80 FR 33987 (June 12, 2015)

TABLE 17A1: A ₁ AND A ₂ VALUES FOR RADIONUCLIDES							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
Cs-137 (a)	.	2.0	5.4X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ¹	3.2	8.7X10 ⁻¹
Cu-64	Copper (29)	6.0	1.6X10 ²	1.0	2.7X10 ¹	1.4X10 ⁵	3.9X10 ⁶
Cu-67	.	1.0X10 ⁻¹	2.7X10 ²	7.0X10 ⁻¹	1.9X10 ¹	2.8X10 ⁴	7.6X10 ⁵
Dy-159	Dysprosium (66)	2.0X10 ⁻¹	5.4X10 ²	2.0X10 ⁻¹	5.4X10 ²	2.1X10 ²	5.7X10 ³
Dy-165	.	9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.0X10 ⁵	8.2X10 ⁶
Dy-166 (a)	.	9.0X10 ⁻¹	2.4X10 ¹	3.0X10 ⁻¹	8.1	8.6X10 ³	2.3X10 ⁵
Er-169	Erbium (68)	4.0X10 ⁻¹	1.1X10 ³	1.0	2.7X10 ¹	3.1X10 ³	8.3X10 ⁴
Er-171	.	8.0X10 ⁻¹	2.2X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	9.0X10 ⁴	2.4X10 ⁶
Eu-147	Europium (63)	2.0	5.4X10 ¹	2.0	5.4X10 ¹	1.4X10 ³	3.7X10 ⁴
Eu-148	.	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.0X10 ²	1.6X10 ⁴
Eu-149	.	2.0X10 ¹	5.4X10 ²	2.0X10 ¹	5.4X10 ²	3.5X10 ²	9.4X10 ³
Eu-150. (short.lived)	.	2.0	5.4X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	6.1X10 ⁴	1.6X10 ⁶
Eu-150. (long.lived)	.	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	6.1X10 ⁴	1.6X10 ⁶
Eu-152	.	1.0	2.7X10 ¹	1.0	2.7X10 ¹	6.5	1.8X10 ²
Eu-152m	.	8.0X10 ⁻¹	2.2X10 ¹	8.0X10 ⁻¹	2.2X10 ¹	8.2X10 ⁴	2.2X10 ⁶
Eu-154	.	9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	9.8	2.6X10 ²
Eu-155	.	2.0X10 ¹	5.4X10 ²	3.0	8.1X10 ¹	1.8X10 ¹	4.9X10 ²
Eu-156	.	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	2.0X10 ³	5.5X10 ⁴
F-18	Fluorine.(9)	1.0	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.5X10 ⁶	9.5X10 ⁷
Fe-52.(a)	Iron.(26)	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	2.7X10 ⁵	7.3X10 ⁶
Fe-55	.	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	8.8X10 ¹	2.4X10 ³
Fe-59	.	9.0X10 ⁻¹	2.4X10 ¹	9.0X10 ⁻¹	2.4X10 ¹	1.8X10 ³	5.0X10 ⁴
Fe-60 (a)	.	4.0X10 ¹	1.1X10 ³	2.0X10 ⁻¹	5.4	7.4X10 ⁻⁴	2.0X10 ⁻²
Ga-67	Gallium (31)	7.0	1.9X10 ²	3.0	8.1X10 ¹	2.2X10 ⁴	6.0X10 ⁵
Ga-68	.	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	1.5X10 ⁶	4.1X10 ⁷
Ga-72	.	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.1X10 ⁵	3.1X10 ⁶
Gd-146.(a)	Gadolinium(64)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.9X10 ²	1.9X10 ⁴
Gd-148	.	2.0X10 ⁻¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	1.2	3.2X10 ⁻¹
Gd-153	.	1.0X10 ¹	2.7X10 ²	9.0	2.4X10 ²	1.3X10 ²	3.5X10 ³
Gd-159	.	3.0	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.9X10 ⁴	1.1X10 ⁶
Ge-68.(a)	Germanium(32)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	2.6X10 ²	7.1X10 ³
Ge-71	.	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	5.8X10 ³	1.6X10 ⁵
Ge-77	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.3X10 ⁵	3.6X10 ⁶
Hf-172 (a)	Hafnium (72)	6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	4.1X10 ¹	1.1X10 ³
Hf-175	.	3.0	8.1X10 ¹	3.0	8.1X10 ¹	3.9X10 ²	1.1X10 ⁴
Hf-181	.	2.0	5.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.3X10 ²	1.7X10 ⁴
Hf-182	.	Unlimited	Unlimited	Unlimited	Unlimited	8.1X10 ⁻⁶	2.2X10 ⁻⁴
Hg-194 (a)	Mercury (80)	1.0	2.7X10 ¹	1.0	2.7X10 ¹	1.3X10 ⁻¹	3.5
Hg-195m (a)	.	3.0	8.1X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	1.5X10 ⁴	4.0X10 ⁵
Hg-197	.	2.0X10 ¹	5.4X10 ²	1.0X10 ¹	2.7X10 ²	9.2X10 ³	2.5X10 ⁵
Hg-197m	.	1.0X10 ¹	2.7X10 ²	4.0X10 ⁻¹	1.1X10 ¹	2.5X10 ⁴	6.7X10 ⁵
Hg-203	.	5.0	1.4X10 ²	1.0	2.7X10 ¹	5.1X10 ²	1.4X10 ⁴

TABLE 17A1: A ₁ AND A ₂ VALUES FOR RADIONUCLIDES							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
Ho-166	Holmium (67)	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	2.6X10 ⁴	7.0X10 ⁵
Ho-166m	.	6.0X10 ⁻¹	1.6X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	6.6X10 ⁻²	1.8
I-123	Iodine (53)	6.0	1.6X10 ²	3.0	8.1X10 ¹	7.1X10 ⁴	1.9X10 ⁶
I-124	.	1.0	2.7X10 ¹	1.0	2.7X10 ¹	9.3X10 ³	2.5X10 ⁵
I-125	.	2.0X10 ¹	5.4X10 ²	3.0	8.1X10 ¹	6.4X10 ²	1.7X10 ⁴
I-126	.	2.0	5.4X10 ¹	1.0	2.7X10 ¹	2.9X10 ³	8.0X10 ⁴
I-129	.	Unlimited	Unlimited	Unlimited	Unlimited	6.5X10 ⁻⁶	1.8X10 ⁻⁴
I-131	.	3.0	8.1X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	4.6X10 ³	1.2X10 ⁵
I-132	.	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	3.8X10 ⁵	1.0X10 ⁷
I-133	.	7.0X10 ⁻¹	1.9X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	4.2X10 ⁴	1.1X10 ⁶
I-134	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	9.9X10 ⁵	2.7X10 ⁷
I-135.(a)	.	6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.3X10 ⁵	3.5X10 ⁶
In-111	Indium (49)	3.0	8.1X10 ¹	3.0	8.1X10 ¹	1.5X10 ⁴	4.2X10 ⁵
In-113m	.	4.0	1.1X10 ²	2.0	5.4X10 ¹	6.2X10 ⁵	1.7X10 ⁷
In-114m.(a)	.	1.0X10 ¹	2.7X10 ²	5.0X10 ⁻¹	1.4X10 ¹	8.6X10 ²	2.3X10 ⁴
In-115m	.	7.0	1.9X10 ²	1.0	2.7X10 ¹	2.2X10 ⁵	6.1X10 ⁶
Ir-189.(a)	Iridium (77)	1.0X10 ¹	2.7X10 ²	1.0X10 ¹	2.7X10 ²	1.9X10 ³	5.2X10 ⁴
Ir-190	.	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	2.3X10 ³	6.2X10 ⁴
Ir-192.(c)	.	^c 1.0	^c 2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	3.4X10 ²	9.2X10 ³
Ir-194	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	3.1X10 ⁴	8.4X10 ⁵
K-40	Potassium (19)	9.0X10 ⁻¹	2.4X10 ¹	9.0X10 ⁻¹	2.4X10 ¹	2.4X10 ⁻⁷	6.4X10 ⁻⁶
K-42	.	2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	2.2X10 ⁵	6.0X10 ⁶
K-43	.	7.0X10 ⁻¹	1.9X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.2X10 ⁵	3.3X10 ⁶
Kr-79	Krypton (36)	4.0	1.1X10²	2.0	5.4X10¹	4.2X10⁴	1.1X10⁶
Kr-81	Krypton (36)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	7.8X10 ⁻⁴	2.1X10 ⁻²
Kr-85	.	1.0X10 ¹	2.7X10 ²	1.0X10 ¹	2.7X10 ²	1.5X10 ¹	3.9X10 ²
Kr-85m	.	8.0	2.2X10 ²	3.0	8.1X10 ¹	3.0X10 ⁵	8.2X10 ⁶
Kr-87	.	2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	1.0X10 ⁶	2.8X10 ⁷
La-137	Lanthanum(57)	3.0X10 ¹	8.1X10 ²	6.0	1.6X10 ²	1.6X10 ⁻³	4.4X10 ⁻²
La-140	.	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	2.1X10 ⁴	5.6X10 ⁵
Lu-172	Lutetium (71)	6.0X10 ⁻¹	1.6X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	4.2X10 ³	1.1X10 ⁵
Lu-173	.	8.0	2.2X10 ²	8.0	2.2X10 ²	5.6X10 ¹	1.5X10 ³
Lu-174	.	9.0	2.4X10 ²	9.0	2.4X10 ²	2.3X10 ¹	6.2X10 ²
Lu-174m	.	2.0X10 ¹	5.4X10 ²	1.0X10 ¹	2.7X10 ²	2.0X10 ²	5.3X10 ³
Lu-177	.	3.0X10 ¹	8.1X10 ²	7.0X10 ⁻¹	1.9X10 ¹	4.1X10 ³	1.1X10 ⁵
Mg-28.(a)	Magnesium(12)	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	2.0X10 ⁵	5.4X10 ⁶
Mn-52	Manganese(25)	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.6X10 ⁴	4.4X10 ⁵
Mn-53	.	Unlimited	Unlimited	Unlimited	Unlimited	6.8X10 ⁻⁵	1.8X10 ⁻³
Mn-54	.	1.0	2.7X10 ¹	1.0	2.7X10 ¹	2.9X10 ²	7.7X10 ³
Mn-56	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	8.0X10 ⁵	2.2X10 ⁷
Mo-93	Molybdenum (42)	4.0X10 ¹	1.1X10 ³	2.0X10 ¹	5.4X10 ²	4.1X10 ⁻²	1.1
Mo-99 (a) (ih)	.	1.0	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	1.8X10 ⁴	4.8X10 ⁵
N-13	Nitrogen (7)	9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	5.4X10 ⁷	1.5X10 ⁹

Commented [jsj57]: Footnote for Ir192 updated, consistent with 2015 changes to 10 CFR 71, Table A-1.

Footnote "c" is relocated to clarify that it only applies to the A₁ value and only to the special form (~sealed sources) of the isotope.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj58]: Values for Kr-79 added, consistent with 2015 changes to 10 CFR 71, Table A-1.

Previously, the more generic values of Table 17A3 were used since there was no value specific to Kr-79. The IAEA added values for Kr-79 to better reflect the radiological hazard of this radionuclide. In turn, the NRC adopted the same values in 10 CFR 71.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj59]: Footnote for Mo99 updated, consistent with 2015 changes to 10 CFR 71, Table A-1.

With reference to (new) footnote "h", the change restores the A₂ value (20 Ci) for Mo99 for domestic shipments. The original footnote "i" was inadvertently removed from the rule sometime in the past. This original footnote "i" indicated that the domestic value for Mo99 was 20 Ci, so there is no change to the A₂ value.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

TABLE 17A1: A ₁ AND A ₂ VALUES FOR RADIONUCLIDES							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci)b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
Na-22	Sodium (11)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	2.3X10 ⁻²	6.3X10 ⁻³
Na-24	.	2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	3.2X10 ⁻⁵	8.7X10 ⁻⁶
Nb-93m	Niobium (41)	4.0X10 ¹	1.1X10 ³	3.0X10 ¹	8.1X10 ²	8.8	2.4X10 ⁻²
Nb-94	.	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	6.9X10 ⁻³	1.9X10 ⁻¹
Nb-95	.	1.0	2.7X10 ¹	1.0	2.7X10 ¹	1.5X10 ³	3.9X10 ⁻⁴
Nb-97	.	9.0X10 ⁻¹	2.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	9.9X10 ⁻⁵	2.7X10 ⁻⁷
Nd-147	Neodymium (60)	6.0	1.6X10 ²	6.0X10 ⁻¹	1.6X10 ¹	3.0X10 ⁻³	8.1X10 ⁻⁴
Nd-149	.	6.0X10 ⁻¹	1.6X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	4.5X10 ⁻⁵	1.2X10 ⁻⁷
Ni-59	Nickel (28)	Unlimited	Unlimited	Unlimited	Unlimited	3.0X10 ⁻³	8.0X10 ⁻²
Ni-63	.	4.0X10 ¹	1.1X10 ³	3.0X10 ¹	8.1X10 ²	2.1	5.7X10 ⁻¹
Ni-65	.	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	7.1X10 ⁻⁵	1.9X10 ⁻⁷
Np-235	Neptunium (93)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	5.2X10 ⁻¹	1.4X10 ⁻³
Np-236 (short-lived)	.	2.0X10 ¹	5.4X10 ²	2.0	5.4X10 ¹	4.7X10 ⁻⁴	1.3X10 ⁻²
Np-236 (long-lived)	.	9.0X10 ⁰	2.4X10 ²	2.0X10 ⁻²	5.4X10 ⁻¹	4.7X10 ⁻⁴	1.3X10 ⁻²
Np-237	.	2.0X10 ¹	5.4X10 ²	2.0X10 ⁻³	5.4X10 ⁻²	2.6X10 ⁻⁵	7.1X10 ⁻⁴
Np-239	.	7.0	1.9X10 ²	4.0X10 ⁻¹	1.1X10 ¹	8.6X10 ⁻³	2.3X10 ⁻⁵
Os-185	Osmium (76)	1.0	2.7X10 ¹	1.0	2.7X10 ¹	2.8X10 ⁻²	7.5X10 ⁻³
Os-191	.	1.0X10 ¹	2.7X10 ²	2.0	5.4X10 ¹	1.6X10 ⁻³	4.4X10 ⁻⁴
Os-191m	.	4.0X10 ¹	1.1X10 ³	3.0X10 ¹	8.1X10 ²	4.6X10 ⁻⁴	1.3X10 ⁻⁶
Os-193	.	2.0	5.4X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.0X10 ⁻⁴	5.3X10 ⁻⁵
Os-194 (a)	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.1X10 ⁻¹	3.1X10 ⁻²
P-32	Phosphorus. (15)	5.0X10 ⁻¹	1.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	1.1X10 ⁻⁴	2.9X10 ⁻⁵
P-33	.	4.0X10 ¹	1.1X10 ³	1.0	2.7X10 ¹	5.8X10 ⁻³	1.6X10 ⁻⁵
Pa-230. (a)	Protactinium. (91)	2.0	5.4X10 ¹	7.0X10 ⁻²	1.9	1.2X10 ⁻³	3.3X10 ⁻⁴
Pa-231	.	4.0	1.1X10 ²	4.0X10 ⁻⁴	1.1X10 ⁻²	1.7X10 ⁻³	4.7X10 ⁻²
Pa-233	.	5.0	1.4X10 ²	7.0X10 ⁻¹	1.9X10 ¹	7.7X10 ⁻²	2.1X10 ⁻⁴
Pb-201	Lead. (82)	1.0	2.7X10 ¹	1.0	2.7X10 ¹	6.2X10 ⁻⁴	1.7X10 ⁻⁶
Pb-202	.	4.0X10 ¹	1.1X10 ³	2.0X10 ¹	5.4X10 ²	1.2X10 ⁻⁴	3.4X10 ⁻³
Pb-203	.	4.0	1.1X10 ²	3.0	8.1X10 ¹	1.1X10 ⁻⁴	3.0X10 ⁻⁵
Pb-205	.	Unlimited	Unlimited	Unlimited	Unlimited	4.5X10 ⁻⁶	1.2X10 ⁻⁴
Pb-210. (a)	.	1.0	2.7X10 ¹	5.0X10 ⁻²	1.4	2.8	7.6X10 ⁻¹
Pb-212. (a)	.	7.0X10 ⁻¹	1.9X10 ¹	2.0X10 ⁻¹	5.4	5.1X10 ⁻⁴	1.4X10 ⁻⁶
Pd-103. (a)	Palladium. (46)	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	2.8X10 ⁻³	7.5X10 ⁻⁴
Pd-107	.	Unlimited	Unlimited	Unlimited	Unlimited	1.9X10 ⁻⁵	5.1X10 ⁻⁴
Pd-109	.	2.0	5.4X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	7.9X10 ⁻⁴	2.1X10 ⁻⁶
Pm-143	Promethium. (61)	3.0	8.1X10 ¹	3.0	8.1X10 ¹	1.3X10 ⁻²	3.4X10 ⁻³
Pm-144	.	7.0X10 ⁻¹	1.9X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	9.2X10 ⁻¹	2.5X10 ⁻³
Pm-145	.	3.0X10 ¹	8.1X10 ²	1.0X10 ¹	2.7X10 ²	5.2	1.4X10 ⁻²
Pm-147	.	4.0X10 ¹	1.1X10 ³	2.0	5.4X10 ¹	3.4X10 ⁻¹	9.3X10 ⁻²
Pm-148m. (a)	.	8.0X10 ⁻¹	2.2X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	7.9X10 ⁻²	2.1X10 ⁻⁴

TABLE 17A1: A ₁ AND A ₂ VALUES FOR RADIONUCLIDES							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
Pm-149	.	2.0	5.4X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	1.5X10 ⁻⁴	4.0X10 ⁻⁵
Pm-151	.	2.0	5.4X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	2.7X10 ⁻⁴	7.3X10 ⁻⁵
Po-210	Polonium. (84)	4.0X10 ⁻¹	1.1X10 ⁻³	2.0X10 ⁻²	5.4X10 ⁻¹	1.7X10 ⁻²	4.5X10 ⁻³
Pr-142	Praseodymium. (59)	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	4.3X10 ⁻⁴	1.2X10 ⁻⁶
Pr-143	.	3.0	8.1X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	2.5X10 ⁻³	6.7X10 ⁻⁴
Pt-188. (a)	Platinum. (78)	1.0	2.7X10 ⁻¹	8.0X10 ⁻¹	2.2X10 ⁻¹	2.5X10 ⁻³	6.8X10 ⁻⁴
Pt-191	.	4.0	1.1X10 ⁻²	3.0	8.1X10 ⁻¹	8.7X10 ⁻³	2.4X10 ⁻⁵
Pt-193	.	4.0X10 ⁻¹	1.1X10 ⁻³	4.0X10 ⁻¹	1.1X10 ⁻³	1.4	3.7X10 ⁻¹
Pt-193m	.	4.0X10 ⁻¹	1.1X10 ⁻³	5.0X10 ⁻¹	1.4X10 ⁻¹	5.8X10 ⁻³	1.6X10 ⁻⁵
Pt-195m	.	1.0X10 ⁻¹	2.7X10 ⁻²	5.0X10 ⁻¹	1.4X10 ⁻¹	6.2X10 ⁻³	1.7X10 ⁻⁵
Pt-197	.	2.0X10 ⁻¹	5.4X10 ⁻²	6.0X10 ⁻¹	1.6X10 ⁻¹	3.2X10 ⁻⁴	8.7X10 ⁻⁵
Pt-197m	.	1.0X10 ⁻¹	2.7X10 ⁻²	6.0X10 ⁻¹	1.6X10 ⁻¹	3.7X10 ⁻⁵	1.0X10 ⁻⁷
Pu-236	Plutonium. (94)	3.0X10 ⁻¹	8.1X10 ⁻²	3.0X10 ⁻³	8.1X10 ⁻²	2.0X10 ⁻¹	5.3X10 ⁻²
Pu-237	.	2.0X10 ⁻¹	5.4X10 ⁻²	2.0X10 ⁻¹	5.4X10 ⁻²	4.5X10 ⁻²	1.2X10 ⁻⁴
Pu-238	.	1.0X10 ⁻¹	2.7X10 ⁻²	1.0X10 ⁻³	2.7X10 ⁻²	6.3X10 ⁻¹	1.7X10 ⁻¹
Pu-239	.	1.0X10 ⁻¹	2.7X10 ⁻²	1.0X10 ⁻³	2.7X10 ⁻²	2.3X10 ⁻³	6.2X10 ⁻²
Pu-240	.	1.0X10 ⁻¹	2.7X10 ⁻²	1.0X10 ⁻³	2.7X10 ⁻²	8.4X10 ⁻³	2.3X10 ⁻¹
Pu-241. (a)	.	4.0X10 ⁻¹	1.1X10 ⁻³	6.0X10 ⁻²	1.6	3.8	1.0X10 ⁻²
Pu-242	.	1.0X10 ⁻¹	2.7X10 ⁻²	1.0X10 ⁻³	2.7X10 ⁻²	1.5X10 ⁻⁴	3.9X10 ⁻³
Pu-244. (a)	.	4.0X10 ⁻¹	1.1X10 ⁻¹	1.0X10 ⁻³	2.7X10 ⁻²	6.7X10 ⁻⁷	1.8X10 ⁻⁵
Ra-223. (a)	Radium. (88)	4.0X10 ⁻¹	1.1X10 ⁻¹	7.0X10 ⁻³	1.9X10 ⁻¹	1.9X10 ⁻³	5.1X10 ⁻⁴
Ra-224. (a)	.	4.0X10 ⁻¹	1.1X10 ⁻¹	2.0X10 ⁻²	5.4X10 ⁻¹	5.9X10 ⁻³	1.6X10 ⁻⁵
Ra-225. (a)	.	2.0X10 ⁻¹	5.4	4.0X10 ⁻³	1.1X10 ⁻¹	1.5X10 ⁻³	3.9X10 ⁻⁴
Ra-226. (a)	.	2.0X10 ⁻¹	5.4	3.0X10 ⁻³	8.1X10 ⁻²	3.7X10 ⁻²	1.0
Ra-228. (a)	.	6.0X10 ⁻¹	1.6X10 ⁻¹	2.0X10 ⁻²	5.4X10 ⁻¹	1.0X10 ⁻¹	2.7X10 ⁻²
Rb-81	Rubidium (37)	2.0	5.4X10 ⁻¹	8.0X10 ⁻¹	2.2X10 ⁻¹	3.1X10 ⁻⁵	8.4X10 ⁻⁶
Rb-83. (a)	.	2.0	5.4X10 ⁻¹	2.0	5.4X10 ⁻¹	6.8X10 ⁻²	1.8X10 ⁻⁴
Rb-84	.	1.0	2.7X10 ⁻¹	1.0	2.7X10 ⁻¹	1.8X10 ⁻³	4.7X10 ⁻⁴
Rb-86	.	5.0X10 ⁻¹	1.4X10 ⁻¹	5.0X10 ⁻¹	1.4X10 ⁻¹	3.0X10 ⁻³	8.1X10 ⁻⁴
Rb-87	.	Unlimited	Unlimited	Unlimited	Unlimited	3.2X10 ⁻⁹	8.6X10 ⁻⁸
Rb(nat)	.	Unlimited	Unlimited	Unlimited	Unlimited	6.7X10 ⁻⁶	1.8X10 ⁻⁸
Re-184	Rhenium (75)	1.0	2.7X10 ⁻¹	1.0	2.7X10 ⁻¹	6.9X10 ⁻²	1.9X10 ⁻⁴
Re-184m	.	3.0	8.1X10 ⁻¹	1.0	2.7X10 ⁻¹	1.6X10 ⁻²	4.3X10 ⁻³
Re-186	.	2.0	5.4X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	6.9X10 ⁻³	1.9X10 ⁻⁵
Re-187	.	Unlimited	Unlimited	Unlimited	Unlimited	1.4X10 ⁻⁹	3.8X10 ⁻⁸
Re-188	.	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	3.6X10 ⁻⁴	9.8X10 ⁻⁵
Re-189. (a)	.	3.0	8.1X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	2.5X10 ⁻⁴	6.8X10 ⁻⁵
Re(nat)	.	Unlimited	Unlimited	Unlimited	Unlimited	0.0	2.4X10 ⁻⁸
Rh-99	Rhodium (45)	2.0	5.4X10 ⁻¹	2.0	5.4X10 ⁻¹	3.0X10 ⁻³	8.2X10 ⁻⁴
Rh-101	.	4.0	1.1X10 ⁻²	3.0	8.1X10 ⁻¹	4.1X10 ⁻¹	1.1X10 ⁻³
Rh-102	.	5.0X10 ⁻¹	1.4X10 ⁻¹	5.0X10 ⁻¹	1.4X10 ⁻¹	4.5X10 ⁻¹	1.2X10 ⁻³
Rh-102m	.	2.0	5.4X10 ⁻¹	2.0	5.4X10 ⁻¹	2.3X10 ⁻²	6.2X10 ⁻³
Rh-103m	.	4.0X10 ⁻¹	1.1X10 ⁻³	4.0X10 ⁻¹	1.1X10 ⁻³	1.2X10 ⁻⁶	3.3X10 ⁻⁷

TABLE 17A1: A ₁ AND A ₂ VALUES FOR RADIONUCLIDES							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
Rh-105	.	1.0X10 ⁻¹	2.7X10 ⁻²	8.0X10 ⁻¹	2.2X10 ⁻¹	3.1X10 ⁻⁴	8.4X10 ⁻⁵
Rn-222. (a)	Radon (86)	3.0X10 ⁻¹	8.1	4.0X10 ⁻³	1.1X10 ⁻¹	5.7X10 ⁻³	1.5X10 ⁻⁵
Ru-97	Ruthenium (44)	5.0	1.4X10 ⁻²	5.0	1.4X10 ⁻²	1.7X10 ⁻⁴	4.6X10 ⁻⁵
Ru-103. (a)	.	2.0	5.4X10 ⁻¹	2.0	5.4X10 ⁻¹	1.2X10 ⁻³	3.2X10 ⁻⁴
Ru-105	.	1.0	2.7X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	2.5X10 ⁻⁵	6.7X10 ⁻⁶
Ru-106. (a)	.	2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	1.2X10 ⁻²	3.3X10 ⁻³
S-35	Sulphur (16)	4.0X10 ⁻¹	1.1X10 ⁻³	3.0	8.1X10 ⁻¹	1.6X10 ⁻³	4.3X10 ⁻⁴
Sb-122	Antimony (51)	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	1.5X10 ⁻⁴	4.0X10 ⁻⁵
Sb-124	.	6.0X10 ⁻¹	1.6X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	6.5X10 ⁻²	1.7X10 ⁻⁴
Sb-125	.	2.0	5.4X10 ⁻¹	1.0	2.7X10 ⁻¹	3.9X10 ⁻¹	1.0X10 ⁻³
Sb-126	.	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	3.1X10 ⁻³	8.4X10 ⁻⁴
Sc-44	Scandium (21)	5.0X10 ⁻¹	1.4X10 ⁻¹	5.0X10 ⁻¹	1.4X10 ⁻¹	6.7X10 ⁻⁵	1.8X10 ⁻⁷
Sc-46	.	5.0X10 ⁻¹	1.4X10 ⁻¹	5.0X10 ⁻¹	1.4X10 ⁻¹	1.3X10 ⁻³	3.4X10 ⁻⁴
Sc-47	.	1.0X10 ⁻¹	2.7X10 ⁻²	7.0X10 ⁻¹	1.9X10 ⁻¹	3.1X10 ⁻⁴	8.3X10 ⁻⁵
Sc-48	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	5.5X10 ⁻⁴	1.5X10 ⁻⁶
Se-75	Selenium (34)	3.0	8.1X10 ⁻¹	3.0	8.1X10 ⁻¹	5.4X10 ⁻²	1.5X10 ⁻⁴
Se-79	.	4.0X10 ⁻¹	1.1X10 ⁻³	2.0	5.4X10 ⁻¹	2.6X10 ⁻³	7.0X10 ⁻²
Si-31	Silicon (14)	6.0X10 ⁻¹	1.6X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	1.4X10 ⁻⁶	3.9X10 ⁻⁷
Si-32	.	4.0X10 ⁻¹	1.1X10 ⁻³	5.0X10 ⁻¹	1.4X10 ⁻¹	3.9	1.1X10 ⁻²
Sm-145	Samarium (62)	1.0X10 ⁻¹	2.7X10 ⁻²	1.0X10 ⁻¹	2.7X10 ⁻²	9.8X10 ⁻¹	2.6X10 ⁻³
Sm-147	.	Unlimited	Unlimited	Unlimited	Unlimited	8.5X10 ⁻¹	2.3X10 ⁻⁸
Sm-151	.	4.0X10 ⁻¹	1.1X10 ⁻³	1.0X10 ⁻¹	2.7X10 ⁻²	9.7X10 ⁻¹	2.6X10 ⁻¹
Sm-153	.	9.0	2.4X10 ⁻²	6.0X10 ⁻¹	1.6X10 ⁻¹	1.6X10 ⁻⁴	4.4X10 ⁻⁵
Sn-113. (a)	Tin (50)	4.0	1.1X10 ⁻²	2.0	5.4X10 ⁻¹	3.7X10 ⁻²	1.0X10 ⁻⁴
Sn-117m	.	7.0	1.9X10 ⁻²	4.0X10 ⁻¹	1.1X10 ⁻¹	3.0X10 ⁻³	8.2X10 ⁻⁴
Sn-119m	.	4.0X10 ⁻¹	1.1X10 ⁻³	3.0X10 ⁻¹	8.1X10 ⁻²	1.4X10 ⁻²	3.7X10 ⁻³
Sn-121m. (a)	.	4.0X10 ⁻¹	1.1X10 ⁻³	9.0X10 ⁻¹	2.4X10 ⁻¹	2.0	5.4X10 ⁻¹
Sn-123	.	8.0X10 ⁻¹	2.2X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	3.0X10 ⁻²	8.2X10 ⁻³
Sn-125	.	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻³	1.1X10 ⁻⁵
Sn-126. (a)	.	6.0X10 ⁻¹	1.6X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	1.0X10 ⁻³	2.8X10 ⁻²
Sr-82. (a)	Strontium (38)	2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	2.3X10 ⁻³	6.2X10 ⁻⁴
Sr-85	.	2.0	5.4X10 ⁻¹	2.0	5.4X10 ⁻¹	8.8X10 ⁻²	2.4X10 ⁻⁴
Sr-85m	.	5.0	1.4X10 ⁻²	5.0	1.4X10 ⁻²	1.2X10 ⁻⁶	3.3X10 ⁻⁷
Sr-87m	.	3.0	8.1X10 ⁻¹	3.0	8.1X10 ⁻¹	4.8X10 ⁻⁵	1.3X10 ⁻⁷
Sr-89	.	6.0X10 ⁻¹	1.6X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	1.1X10 ⁻³	2.9X10 ⁻⁴
Sr-90. (a)	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	5.1	1.4X10 ⁻²
Sr-91. (a)	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.3X10 ⁻⁵	3.6X10 ⁻⁶
Sr-92. (a)	.	1.0	2.7X10 ⁻¹	3.0X10 ⁻¹	8.1	4.7X10 ⁻⁵	1.3X10 ⁻⁷
T(H-3)	Tritium. (1)	4.0X10 ⁻¹	1.1X10 ⁻³	4.0X10 ⁻¹	1.1X10 ⁻³	3.6X10 ⁻²	9.7X10 ⁻³
Ta-178. (long)	Tantalum. (73)	1.0	2.7X10 ⁻¹	8.0X10 ⁻¹	2.2X10 ⁻¹	4.2X10 ⁻⁶	1.1X10 ⁻⁸
Ta-179	.	3.0X10 ⁻¹	8.1X10 ⁻²	3.0X10 ⁻¹	8.1X10 ⁻²	4.1X10 ⁻¹	1.1X10 ⁻³
Ta-182	.	9.0X10 ⁻¹	2.4X10 ⁻¹	5.0X10 ⁻¹	1.4X10 ⁻¹	2.3X10 ⁻²	6.2X10 ⁻³

TABLE 17A1: A ₁ AND A ₂ VALUES FOR RADIONUCLIDES							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
Tb-157	Terbium. (65)	4.0X10 ⁻¹	1.1X10 ³	4.0X10 ⁻¹	1.1X10 ³	5.6X10 ⁻¹	1.5X10 ¹
Tb-158	.	1.0	2.7X10 ¹	1.0	2.7X10 ¹	5.6X10 ⁻¹	1.5X10 ¹
Tb-160	.	1.0	2.7X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	4.2X10 ²	1.1X10 ⁴
Tc-95m (a)	Technetium (43)	2.0	5.4X10 ¹	2.0	5.4X10 ¹	8.3X10 ²	2.2X10 ⁴
Tc-96	.	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.2X10 ⁴	3.2X10 ⁵
Tc-96m. (a)	.	4.0X10 ⁻¹	1.1X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.4X10 ⁶	3.8X10 ⁷
Tc-97	.	Unlimited	Unlimited	Unlimited	Unlimited	5.2X10 ⁻⁵	1.4X10 ⁻³
Tc-97m	.	4.0X10 ⁻¹	1.1X10 ³	1.0	2.7X10 ¹	5.6X10 ²	1.5X10 ⁴
Tc-98	.	8.0X10 ⁻¹	2.2X10 ¹	7.0X10 ⁻¹	1.9X10 ¹	3.2X10 ⁻⁵	8.7X10 ⁻⁴
Tc-99	.	4.0X10 ⁻¹	1.1X10 ³	9.0X10 ⁻¹	2.4X10 ¹	6.3X10 ⁻⁴	1.7X10 ⁻²
Tc-99m	.	1.0X10 ⁻¹	2.7X10 ²	4.0	1.1X10 ²	1.9X10 ⁵	5.3X10 ⁶
Te-121	Tellurium. (52)	2.0	5.4X10 ¹	2.0	5.4X10 ¹	2.4X10 ³	6.4X10 ⁴
Te-121m	.	5.0	1.4X10 ²	3.0	8.1X10 ¹	2.6X10 ²	7.0X10 ³
Te-123m	.	8.0	2.2X10 ²	1.0	2.7X10 ¹	3.3X10 ²	8.9X10 ³
Te-125m	.	2.0X10 ⁻¹	5.4X10 ²	9.0X10 ⁻¹	2.4X10 ¹	6.7X10 ²	1.8X10 ⁴
Te-127	.	2.0X10 ⁻¹	5.4X10 ²	7.0X10 ⁻¹	1.9X10 ¹	9.8X10 ⁴	2.6X10 ⁶
Te-127m. (a)	.	2.0X10 ⁻¹	5.4X10 ²	5.0X10 ⁻¹	1.4X10 ¹	3.5X10 ²	9.4X10 ³
Te-129	.	7.0X10 ⁻¹	1.9X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	7.7X10 ⁵	2.1X10 ⁷
Te-129m. (a)	.	8.0X10 ⁻¹	2.2X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.1X10 ³	3.0X10 ⁴
Te-131m. (a)	.	7.0X10 ⁻¹	1.9X10 ¹	5.0X10 ⁻¹	1.4X10 ¹	3.0X10 ⁴	8.0X10 ⁵
Te-132. (a)	.	5.0X10 ⁻¹	1.4X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	1.1X10 ⁴	3.0X10 ⁵
Th-227	Thorium. (90)	1.0X10 ⁻¹	2.7X10 ²	5.0X10 ⁻³	1.4X10 ⁻¹	1.1X10 ³	3.1X10 ⁴
Th-228. (a)	.	5.0X10 ⁻¹	1.4X10 ¹	1.0X10 ⁻³	2.7X10 ⁻²	3.0X10 ¹	8.2X10 ²
Th-229	.	5.0	1.4X10 ²	5.0X10 ⁻⁴	1.4X10 ⁻²	7.9X10 ⁻³	2.1X10 ⁻¹
Th-230	.	1.0X10 ⁻¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	7.6X10 ⁻⁴	2.1X10 ⁻²
Th-231	.	4.0X10 ⁻¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	2.0X10 ⁴	5.3X10 ⁵
Th-232	.	Unlimited	Unlimited	Unlimited	Unlimited	4.0X10 ⁻⁹	1.1X10 ⁻⁷
Th-234. (a)	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	8.6X10 ²	2.3X10 ⁴
Th(nat)	.	Unlimited	Unlimited	Unlimited	Unlimited	8.1X10 ⁻⁹	2.2X10 ⁻⁷
Ti-44. (a)	Titanium. (22)	5.0X10 ⁻¹	1.4X10 ¹	4.0X10 ⁻¹	1.1X10 ¹	6.4	1.7X10 ²
Tl-200	Thallium. (81)	9.0X10 ⁻¹	2.4X10 ¹	9.0X10 ⁻¹	2.4X10 ¹	2.2X10 ⁴	6.0X10 ⁵
Tl-201	.	1.0X10 ⁻¹	2.7X10 ²	4.0	1.1X10 ²	7.9X10 ³	2.1X10 ⁵
Tl-202	.	2.0	5.4X10 ¹	2.0	5.4X10 ¹	2.0X10 ³	5.3X10 ⁴
Tl-204	.	1.0X10 ⁻¹	2.7X10 ²	7.0X10 ⁻¹	1.9X10 ¹	1.7X10 ¹	4.6X10 ²
Tm-167	Thulium. (69)	7.0	1.9X10 ²	8.0X10 ⁻¹	2.2X10 ¹	3.1X10 ³	8.5X10 ⁴
Tm-170	.	3.0	8.1X10 ¹	6.0X10 ⁻¹	1.6X10 ¹	2.2X10 ²	6.0X10 ³

TABLE 17A1: A ₁ AND A ₂ VALUES FOR RADIONUCLIDES							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
Tm-171	.	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³	4.0X10 ¹	1.1X10 ³
U-230. (fast. lung. absorption). (a)(d)	Uranium. (92)	4.0X10 ¹	1.1X10 ³	1.0X10 ⁻¹	2.7	1.0X10 ³	2.7X10 ⁴
U-230. (medium. lung. absorption). (a)(e)	.	4.0X10 ¹	1.1X10 ³	4.0X10 ⁻³	1.1X10 ⁻¹	1.0X10 ³	2.7X10 ⁴
U-230 (slow lung absorption) (a)(f)	.	3.0X10 ¹	8.1X10 ²	3.0X10 ⁻³	8.1X10 ⁻²	1.0X10 ³	2.7X10 ⁴
U-232. (fast. lung. absorption). (d)	.	4.0X10 ¹	1.1X10 ³	1.0X10 ⁻²	2.7X10 ⁻¹	8.3X10 ⁻¹	2.2X10 ¹
U-232. (medium. lung. absorption). (e)	.	4.0X10 ¹	1.1X10 ³	7.0X10 ⁻³	1.9X10 ⁻¹	8.3X10 ⁻¹	2.2X10 ¹
U-232. (slow. lung. absorption). (f)	.	1.0X10 ¹	2.7X10 ²	1.0X10 ⁻³	2.7X10 ⁻²	8.3X10 ⁻¹	2.2X10 ¹
U-233. (fast. lung. absorption). (d)	.	4.0X10 ¹	1.1X10 ³	9.0X10 ⁻²	2.4	3.6X10 ⁻⁴	9.7X10 ⁻³
U-233. (medium. lung. absorption). (e)	.	4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	3.6X10 ⁻⁴	9.7X10 ⁻³
U-233. (slow. lung. absorption). (f)	.	4.0X10 ¹	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	3.6X10 ⁻⁴	9.7X10 ⁻³
U-234. (fast. lung. absorption)(d)	.	4.0X10 ¹	1.1X10 ³	9.0X10 ⁻²	2.4	2.3X10 ⁻⁴	6.2X10 ⁻³
U-234 (medium lung absorption) (e)	.	4.0X10 ¹	1.1X10 ³	2.0X10 ⁻²	5.4X10 ⁻¹	2.3X10 ⁻⁴	6.2X10 ⁻³
U-234 (slow lung absorption) (f)	.	4.0X10 ¹	1.1X10 ³	6.0X10 ⁻³	1.6X10 ⁻¹	2.3X10 ⁻⁴	6.2X10 ⁻³
U-235. (all. lung. absorption. types). (a),(d),(e),(f)	.	Unlimited	Unlimited	Unlimited	Unlimited	8.0X10 ⁻⁸	2.2X10 ⁻⁶
U-236. (fast.	.	Unlimited	Unlimited	Unlimited	Unlimited	2.4X10 ⁻⁶	6.5X10 ⁻⁵

TABLE 17A1: A ₁ AND A ₂ VALUES FOR RADIONUCLIDES							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
lung. absorption). (d)	.						
U-236. (medium. lung . absorption). (e)	.	4.0X10 ⁻¹	1.1X10 ⁻³	2.0X10 ⁻²	5.4X10 ⁻¹	2.4X10 ⁻⁶	6.5X10 ⁻⁵
U-236 (slow lung absorption) (f)	.	4.0X10 ⁻¹	1.1X10 ⁻³	6.0X10 ⁻³	1.6X10 ⁻¹	2.4X10 ⁻⁶	6.5X10 ⁻⁵
U-238. (all lung absorption types) (d),(e),(f)	.	Unlimited	Unlimited	Unlimited	Unlimited	1.2X10 ⁻⁸	3.4X10 ⁻⁷
U. (nat)	.	Unlimited	Unlimited	Unlimited	Unlimited	2.6X10 ⁻⁸	7.1X10 ⁻⁷
U. (enriched. to. 20%. or. less). (g)	.	Unlimited	Unlimited	Unlimited	Unlimited	See. Table. 17A4	See. Table. 17A4
U. (dep)	.	Unlimited	Unlimited	Unlimited	Unlimited	See. Table. 17A4	(See. Table. 17A3)
V-48	Vanadium. (23)	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	6.3X10 ⁻³	1.7X10 ⁻⁵
V-49	.	4.0X10 ⁻¹	1.1X10 ⁻³	4.0X10 ⁻¹	1.1X10 ⁻³	3.0X10 ⁻²	8.1X10 ⁻³
W-178. (a)	Tungsten. (74)	9.0	2.4X10 ⁻²	5.0	1.4X10 ⁻²	1.3X10 ⁻³	3.4X10 ⁻⁴
W-181	.	3.0X10 ⁻¹	8.1X10 ⁻²	3.0X10 ⁻¹	8.1X10 ⁻²	2.2X10 ⁻²	6.0X10 ⁻³
W-185	.	4.0X10 ⁻¹	1.1X10 ⁻³	8.0X10 ⁻¹	2.2X10 ⁻¹	3.5X10 ⁻²	9.4X10 ⁻³
W-187	.	2.0	5.4X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	2.6X10 ⁻⁴	7.0X10 ⁻⁵
W-188. (a)	.	4.0X10 ⁻¹	1.1X10 ⁻¹	3.0X10 ⁻¹	8.1	3.7X10 ⁻²	1.0X10 ⁻⁴
Xe-122. (a)	Xenon. (54)	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	4.8X10 ⁻⁴	1.3X10 ⁻⁶
Xe-123	.	2.0	5.4X10 ⁻¹	7.0X10 ⁻¹	1.9X10 ⁻¹	4.4X10 ⁻⁵	1.2X10 ⁻⁷
Xe-127	.	4.0	1.1X10 ⁻²	2.0	5.4X10 ⁻¹	1.0X10 ⁻³	2.8X10 ⁻⁴
Xe-131m	.	4.0X10 ⁻¹	1.1X10 ⁻³	4.0X10 ⁻¹	1.1X10 ⁻³	3.1X10 ⁻³	8.4X10 ⁻⁴
Xe-133	.	2.0X10 ⁻¹	5.4X10 ⁻²	1.0X10 ⁻¹	2.7X10 ⁻²	6.9X10 ⁻³	1.9X10 ⁻⁵
Xe-135	.	3.0	8.1X10 ⁻¹	2.0	5.4X10 ⁻¹	9.5X10 ⁻⁴	2.6X10 ⁻⁶
Y-87. (a)	Yttrium. (39)	1.0	2.7X10 ⁻¹	1.0	2.7X10 ⁻¹	1.7X10 ⁻⁴	4.5X10 ⁻⁵
Y-88	.	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	5.2X10 ⁻²	1.4X10 ⁻⁴
Y-90	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	2.0X10 ⁻⁴	5.4X10 ⁻⁵
Y-91	.	6.0X10 ⁻¹	1.6X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	9.1X10 ⁻²	2.5X10 ⁻⁴
Y-91m	.	2.0	5.4X10 ⁻¹	2.0	5.4X10 ⁻¹	1.5X10 ⁻⁶	4.2X10 ⁻⁷
Y-92	.	2.0X10 ⁻¹	5.4	2.0X10 ⁻¹	5.4	3.6X10 ⁻⁵	9.6X10 ⁻⁶
Y-93	.	3.0X10 ⁻¹	8.1	3.0X10 ⁻¹	8.1	1.2X10 ⁻⁵	3.3X10 ⁻⁶
Yb-169	Ytterbium. (70)	4.0	1.1X10 ⁻²	1.0	2.7X10 ⁻¹	8.9X10 ⁻²	2.4X10 ⁻⁴

Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci) ^b	A ₂ (TBq)	A ₂ (Ci)	Specific activity	
						(TBq/g)	(Ci/g)
Yb-175	.	3.0X10 ⁻¹	8.1X10 ⁻²	9.0X10 ⁻¹	2.4X10 ⁻¹	6.6X10 ⁻³	1.8X10 ⁻⁵
Zn-65	Zinc. (30)	2.0	5.4X10 ⁻¹	2.0	5.4X10 ⁻¹	3.0X10 ⁻²	8.2X10 ⁻³
Zn-69	.	3.0	8.1X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	1.8X10 ⁻⁶	4.9X10 ⁻⁷
Zn-69m. (a)	.	3.0	8.1X10 ⁻¹	6.0X10 ⁻¹	1.6X10 ⁻¹	1.2X10 ⁻⁵	3.3X10 ⁻⁶
Zr-88	Zirconium. (40)	3.0	8.1X10 ⁻¹	3.0	8.1X10 ⁻¹	6.6X10 ⁻²	1.8X10 ⁻⁴
Zr-93	.	Unlimited	Unlimited	Unlimited	Unlimited	9.3X10 ⁻⁵	2.5X10 ⁻³
Zr-95. (a)	.	2.0	5.4X10 ⁻¹	8.0X10 ⁻¹	2.2X10 ⁻¹	7.9X10 ⁻²	2.1X10 ⁻⁴
Zr-97. (a)	.	4.0X10 ⁻¹	1.1X10 ⁻¹	4.0X10 ⁻¹	1.1X10 ⁻¹	7.1X10 ⁻⁴	1.9X10 ⁻⁶

842 Notes:

843 ^a A₁ and/or A₂ values include contributions from daughter nuclides with half-lives less than 10 days, as listed in the

- 844 following:-
- 845 Mg-28 Al-28
 - 846 Ca-47 Sc-47
 - 847 Ti-44 Sc-44
 - 848 Fe-52 Mn-52m
 - 849 Fe-60 Co-60m
 - 850 Zn-69m Zn-69
 - 851 Ge-68 Ga-68
 - 852 Rb-83 Kr-83m
 - 853 Sr-82 Rb-82
 - 854 Sr-90 Y-90
 - 855 Sr-91 Y-91m
 - 856 Sr-92 Y-92
 - 857 Y-87 Sr-87m
 - 858 Zr-95 Nb-95m
 - 859 Zr-97 Nb-97m, Nb-97
 - 860 Mo-99 Tc-99m
 - 861 Tc-95m Tc-95
 - 862 Tc-96m Tc-96
 - 863 Ru-103 Rh-103m
 - 864 Ru-106 Rh-106
 - 865 Pd-103 Rh-103m
 - 866 Ag-108m Ag-108
 - 867 Ag-110m Ag-110
 - 868 Cd-115 In-115m
 - 869 In-114m In-114
 - 870 Sn-113 In-113m
 - 871 Sn-121m Sn-121
 - 872 Sn-126 Sb-126m
 - 873 Te-127m Te-127
 - 874 Te-129m Te-129
 - 875 Te-131m Te-131
 - 876 Te-132 I-132
 - 877 I-135 Xe-135m
 - 878 Xe-122 I-122
 - 879 Cs-137 Ba-137m
 - 880 Ba-131 Cs-131
 - 881 Ba-140 La-140
 - 882 Ce-144 Pr-144m, Pr-144
 - 883 Pm-148m Pm-148
 - 884 Gd-146 Eu-146
 - 885 Dy-166 Ho-166
 - 886 Hf-172 Lu-172
 - 887 W-178 Ta-178
 - 888 W-188 Re-188
 - 889 Re-189 Os-189m
 - 890 Os-194 Ir-194
 - 891 Ir-189 Os-189m
 - 892 Pt-188 Ir-188
 - 893 Hg-194 Au-194
 - 894 Hg-195m Hg-195
 - 895 Pb-210 Bi-210

Commented [jsj60]: Footnote updated, consistent with 2015 changes to 10 CFR 71, Table A1.

896	Pb-212	Bi-212, Tl-208, Po-212
897	Bi-210m	Tl-206
898	Bi-212	Tl-208, Po-212
899	At-211	Po-211
900	Rn-222	Po-218, Pb-214, At-218, Bi-214, Po-214
901	Ra-223	Rn-219, Po-215, Pb-211, Bi-211, Po-211, Tl-207
902	Ra-224	Rn-220, Po-216, Pb-212, Bi-212, Tl-208, Po-212
903	Ra-225	Ac-225, Fr-221, At-217, Bi-213, Tl-209, Po-213, Pb-209
904	Ra-226	Rn-222, Po-218, Pb-214, At-218, Bi-214, Po-214
905	Ra-228	Ac-228
906	Ac-225	Fr-221, At-217, Bi-213, Tl-209, Po-213, Pb-209
907	Ac-227	Fr-223
908	Th-228	Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208, Po-212
909	Th-234	Pa-234m, Pa-234
910	Pa-230	Ac-226, Th-226, Fr-222, Ra-222, Rn-218, Po-214
911	U-230	Th-226, Ra-222, Rn-218, Po-214
912	U-235	Th-231
913	Pu-241	U-237
914	Pu-244	U-240, Np-240m
915	Am-242m	Am-242, Np-238
916	Am-243	Np-239
917	Cm-247	Pu-243
918	Bk-249	Am-245
919	Cf-253	Cm-249

921 b The values of A₁ and A₂ in Curies (Ci) are approximate and for information only; the regulatory standard units are
 922 Terabecquerels (TBq) (see Appendix 17A – Determination of A₁ and A₂, Section 17A1)

923 c The quantity **activity of Ir-192 in special form** may be determined from a measurement of the rate of decay or a
 924 measurement of the radiation level at a prescribed distance from the source.

925 d These values apply only to compounds of uranium that take the chemical form of UF₆, UO₂F₂ and UO₂(NO₃)₂ in both
 926 normal and accident conditions of transport.

927 e These values apply only to compounds of uranium that take the chemical form of UO₃, UF₄, UCl₄, and hexavalent
 928 compounds in both normal and accident conditions of transport.

929 f These values apply to all compounds of uranium other than those specified in d and e, above.

930 g These values apply to unirradiated uranium only.

931 h **A₂ = 0.74 TBq (20 Ci) for Mo-99 for domestic use.** These values apply to domestic transport only. For international
 932 transport, use the values in the table below.

Commented [jsj61]: Footnote updated, consistent with 2015 changes to 10 CFR 71, Table A1.

 As discussed in an earlier note, footnote “c” applies only to the special form of Ir-192.

 NRC Compatibility “B”
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Commented [jsj62]: Footnote revised, consistent with changes to 10 CFR 71, Table A1.

 A domestic value limit for Mo-99 shipment is retained and updated, while the A1 values are harmonized into a single set of values.

 NRC Compatibility “B”
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

TABLE 17A1 (SUPPLEMENT): A1 AND A2 VALUES FOR RADIONUCLIDES FOR INTERNATIONAL SHIPMENTS							
Symbol of radionuclide	Element and atomic number	A ₁ (TBq)	A ₁ (Ci)	A ₂ (TBq)	A ₂ (Ci)	Specific activity (TBq/g)	Specific activity (Ci/g)
Cf-252	Californium (98)	5.0x10 ⁻²	1.4	3.0x10 ⁻³	8.1x10 ⁻²	2.0x10 ⁻³	5.4x10 ⁻²
Mo-99 ^c	Molybdenum (42)	1.0	2.7x10 ⁻¹	6.0x10 ⁻¹	1.6x10 ⁻¹	1.8x10 ⁻⁴	4.8x10 ⁻⁵

Commented [jsj63]: Supplemental table 17A1 is deleted as the values for international shipments of Cf-252 and Mo-99 have been harmonized and now appear in the main Table 17A1 (above).

934
 935

936

TABLE 17A2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Ac-225 (a)	Actinium (89)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁴	2.7 x 10 ⁻⁷
Ac-227 (a)	.	1.0 x 10 ⁻¹	2.7 x 10 ⁻¹²	1.0 x 10 ³	2.7 x 10 ⁻⁸
Ac-228	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Ag-105	Silver (47)	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Ag-108m (a)	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Ag-110m (a)	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Ag-111	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Al-26	Aluminum (13)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
Am-241	Americium (95)	1.0	2.7 x 10 ⁻¹¹	1.0 x 10 ⁴	2.7 x 10 ⁻⁷
Am-242m (a)	.	1.0	2.7 x 10 ⁻¹¹	1.0 x 10 ⁴	2.7 x 10 ⁻⁷
Am-243 (a)	.	1.0	2.7 x 10 ⁻¹¹	1.0 x 10 ³	2.7 x 10 ⁻⁸
Ar-37	Argon (18)	1.0 x 10 ⁶	2.7 x 10 ⁻⁵	1.0 x 10 ⁸	2.7 x 10 ⁻³
Ar-39	.	1.0 x 10 ⁷	2.7 x 10 ⁻⁴	1.0 x 10 ⁴	2.7 x 10 ⁻⁷
Ar-41	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁹	2.7 x 10 ⁻²
As-72	Arsenic (33)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
As-73	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
As-74	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
As-76	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
As-77	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
At-211 (a)	Astatine (85)	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Au-193	Gold (79)	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Au-194	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Au-195	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Au-198	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Au-199	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Ba-131 (a)	Barium (56)	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Ba-133	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Ba-133m	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Ba-140 (a)	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
Be-7	Beryllium (4)	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Be-10	.	1.0 x 10 ⁴	2.7 x 10 ⁻⁷	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Bi-205	Bismuth (83)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Bi-206	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
Bi-207	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Bi-210	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Bi-210m (a)	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
Bi-212 (a)	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
Bk-247	Berkelium (97)	1.0	2.7 x 10 ⁻¹¹	1.0 x 10 ⁴	2.7 x 10 ⁻⁷
Bk-249 ⁶	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Br-76	Bromine (35)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶

Commented [JJ64]: Page break inserted at first page of table to ensure the table begins on a new page at time of final publication.

Commented [jsj65]: Here and subsequently in Table 17A2, references to footnote "(a)", are removed or added for consistency with equivalent footnote of Table A-2 of 10 CFR 71.

The equivalent footnotes in 10 CFR 71 did not change, but rather, the changes are to address differences between the Table 17A2 and the Part 71 table for certain radionuclides.

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Br-77	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Br-82	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
C-11	Carbon (6)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
C-14	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Ca-41	Calcium (20)	1.0×10^5	2.7×10^{-6}	1.0×10^7	2.7×10^{-4}
Ca-45	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Ca-47 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Cd-109	Cadmium (48)	1.0×10^4	2.7×10^{-7}	1.0×10^6	2.7×10^{-5}
Cd-113m	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Cd-115 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Cd-115m	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Ce-139	Cerium (58)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Ce-141	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Ce-143	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Ce-144 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Cf-248	Californium (98)	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Cf-249	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Cf-250	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Cf-251	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Cf-252	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Cf-253 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Cf-254	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Cl-36	Chlorine (17)	1.0×10^4	2.7×10^{-7}	1.0×10^6	2.7×10^{-5}
Cl-38	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Cm-240	Curium (96)	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Cm-241	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Cm-242	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Cm-243	.	1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Cm-244	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Cm-245	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Cm-246	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Cm-247 (a)	.	1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Cm-248	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Co-55	Cobalt (27)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Co-56	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Co-57	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Co-58	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Co-58m	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Co-60	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Cr-51	Chromium (24)	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Cs-129	Cesium (55)	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Cs-131	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Cs-132	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Cs-134	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Cs-134m	.	1.0×10^3	2.7×10^{-8}	1.0×10^5	2.7×10^{-6}
Cs-135	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Cs-136	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Cs-137 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Cu-64	Copper (29)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Cu-67	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Dy-159	Dysprosium (66)	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Dy-165	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Dy-166 (a)	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Er-169	Erbium (68)	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Er-171	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Eu-147	Europium (63)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Eu-148	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Eu-149	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Eu-150 (short-lived)	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Eu-150 (long-lived)	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Eu-152	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Eu-152 m	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Eu-154	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Eu-155	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Eu-156	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
F-18	Fluorine (9)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Fe-52 (a)	Iron (26)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Fe-55	.	1.0×10^4	2.7×10^{-7}	1.0×10^6	2.7×10^{-5}
Fe-59	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Fe-60 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Ga-67	Gallium (31)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Ga-68	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Ga-72	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Gd-146 (a)	Gadolinium (64)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Gd-148	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Gd-153	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Gd-159	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Ge-68 (a)	Germanium (32)	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Ge-71	.	1.0×10^4	2.7×10^{-7}	1.0×10^8	2.7×10^{-3}
Ge-77	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}

TABLE 17A2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Hf-172 (a)	Hafnium (72)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Hf-175	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Hf-181	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Hf-182	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Hg-194 (a)	Mercury (80)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Hg-195m (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Hg-197	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Hg-197m	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Hg-203	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Ho-166	Holmium (67)	1.0×10^3	2.7×10^{-8}	1.0×10^5	2.7×10^{-6}
Ho-166m	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
I-123	Iodine (53)	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
I-124	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
I-125	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
I-126	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
I-129	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
I-131	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
I-132	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
I-133	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
I-134	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
I-135 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
In-111	Indium (49)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
In-113m	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
In-114m (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
In-115m	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Ir-189 (a)	Iridium (77)	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Ir-190	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Ir-192	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Ir-194	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
K-40	Potassium (19)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
K-42	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
K-43	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Kr-79	Krypton (36)	1.0×10^3	2.7×10^{-8}	1.0×10^5	2.7×10^{-6}
Kr-81	Krypton (36)	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Kr-85	.	1.0×10^5	2.7×10^{-6}	1.0×10^4	2.7×10^{-7}
Kr-85m	.	1.0×10^3	2.7×10^{-8}	1.0×10^{10}	2.7×10^{-1}
Kr-87	.	1.0×10^2	2.7×10^{-9}	1.0×10^9	2.7×10^{-2}
La-137	Lanthanum (57)	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
La-140	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Lu-172	Lutetium (71)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Lu-173	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}

Commented [jsj66]: Values for Kr-79 added, consistent with 2015 changes to 10 CFR 71, Table A-2.

Previously, specific values for Kr-79 were not available and the generic values of Table 17A3 were applicable. The IAEA derived values for Kr-79 and are now included in this table.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Lu-174	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Lu-174m	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Lu-177	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Mg-28 (a)	Magnesium (12)	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Mn-52	Manganese (25)	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Mn-53	.	1.0×10^4	2.7×10^{-7}	1.0×10^9	2.7×10^{-2}
Mn-54	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Mn-56	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Mo-93	Molybdenum (42)	1.0×10^3	2.7×10^{-8}	1.0×10^8	2.7×10^{-3}
Mo-99 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
N-13	Nitrogen (7)	1.0×10^2	2.7×10^{-9}	1.0×10^9	2.7×10^{-2}
Na-22	Sodium (11)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Na-24	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Nb-93m	Niobium (41)	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Nb-94	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Nb-95	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Nb-97	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Nd-147	Neodymium (60)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Nd-149	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Ni-59	Nickel (28)	1.0×10^4	2.7×10^{-7}	1.0×10^8	2.7×10^{-3}
Ni-63	.	1.0×10^5	2.7×10^{-6}	1.0×10^8	2.7×10^{-3}
Ni-65	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Np-235	Neptunium (93)	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Np-236 (short-lived)	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Np-236 (long-lived)	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Np-237 (a)	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Np-239	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Os-185	Osmium (76)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Os-191	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Os-191m	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Os-193	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Os-194 (a)	Osmium (76)	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
P-32	Phosphorus (15)	1.0×10^3	2.7×10^{-8}	1.0×10^5	2.7×10^{-6}
P-33	.	1.0×10^5	2.7×10^{-6}	1.0×10^8	2.7×10^{-3}
Pa-230(a)	Protactinium (91)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Pa-231	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Pa-233	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Pb-201	Lead (82)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Pb-202	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Pb-203	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Pb-205	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Pb-210 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Pb-212 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Pd-103 (a)	Palladium (46)	1.0×10^3	2.7×10^{-8}	1.0×10^8	2.7×10^{-3}
Pd-107	.	1.0×10^5	2.7×10^{-6}	1.0×10^8	2.7×10^{-3}
Pd-109	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Pm-143	Promethium (61)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Pm-144	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Pm-145	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Pm-147	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Pm-148m (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Pm-149	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Pm-151	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Po-210	Polonium (84)	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Pr-142	Praseodymium (59)	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Pr-143	.	1.0×10^4	2.7×10^{-7}	1.0×10^6	2.7×10^{-5}
Pt-188 (a)	Platinum (78)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Pt-191	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Pt-193	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Pt-193m	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Pt-195m	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Pt-197	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Pt-197m	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Pu-236	Plutonium (94)	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Pu-237	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Pu-238	.	1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Pu-239	.	1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Pu-240	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Pu-241 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Pu-242	.	1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Pu-244 (a)	.	1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Ra-223 (a)	Radium (88)	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Ra-224 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Ra-225 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Ra-226 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Ra-228 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Rb-81	Rubidium (37)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Rb-83 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Rb-84	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Rb-86	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Rb-87	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Rb (natural)	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Re-184	Rhenium (75)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Re-184m	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Re-186	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Re-187	.	1.0×10^6	2.7×10^{-5}	1.0×10^9	2.7×10^{-2}
Re-188	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Re-189 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Re (natural)	.	1.0×10^6	2.7×10^{-5}	1.0×10^9	2.7×10^{-2}
Rh-99	Rhodium (45)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Rh-101	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Rh-102	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Rh-102m	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Rh-103m	.	1.0×10^4	2.7×10^{-7}	1.0×10^8	2.7×10^{-3}
Rh-105	.	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Rn-222 (a)	Radon (86)	1.0×10^1	2.7×10^{-10}	1.0×10^8	2.7×10^{-3}
Ru-97	Ruthenium (44)	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Ru-103 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Ru-105	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Ru-106 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
S-35	Sulphur (16)	1.0×10^5	2.7×10^{-6}	1.0×10^8	2.7×10^{-3}
Sb-122	Antimony (51)	1.0×10^2	2.7×10^{-9}	1.0×10^4	2.7×10^{-7}
Sb-124	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Sb-125	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Sb-126	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Sc-44	Scandium (21)	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Sc-46	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Sc-47	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Sc-48	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Se-75	Selenium (34)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Se-79	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
Si-31	Silicon (14)	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Si-32	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Sm-145	Samarium (62)	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Sm-147	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Sm-151	.	1.0×10^4	2.7×10^{-7}	1.0×10^8	2.7×10^{-3}
Sm-153	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}

TABLE 17A2: EXEMPT MATERIAL ACTIVITY CONCENTRATIONS AND EXEMPT CONSIGNMENT ACTIVITY LIMITS FOR RADIONUCLIDES

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Sn-113 (a)	Tin (50)	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Sn-117m	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Sn-119m	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Sn-121m (a)	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Sn-123	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Sn-125	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
Sn-126 (a)	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
Sr-82 (a)	Strontium (38)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
Sr-85	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Sr-85m	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Sr-87m	Strontium (38)	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Sr-89	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Sr-90 (a)	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁴	2.7 x 10 ⁻⁷
Sr-91 (a)	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁵	2.7 x 10 ⁻⁶
Sr-92 (a)	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
T(H-3)	Tritium (1)	1.0 x 10 ⁶	2.7 x 10 ⁻⁵	1.0 x 10 ⁹	2.7 x 10 ⁻²
Ta-178 (long-lived)	Tantalum (73)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Ta-179	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Ta-182	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁴	2.7 x 10 ⁻⁷
Tb-157	Terbium (65)	1.0 x 10 ⁴	2.7 x 10 ⁻⁷	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Tb-158	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Tb-160	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Tc-95m (a)	Technetium (43)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Tc-96	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Tc-96m (a)	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Tc-97	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁸	2.7 x 10 ⁻³
Tc-97m	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Tc-98	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Tc-99	.	1.0 x 10 ⁴	2.7 x 10 ⁻⁷	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Tc-99m	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Te-121	Tellurium (52)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Te-121m	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Te-123m	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Te-125m	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Te-127	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Te-127m (a)	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Te-129	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Te-129m (a)	.	1.0 x 10 ³	2.7 x 10 ⁻⁸	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Te-131m (a)	.	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁶	2.7 x 10 ⁻⁵
Te-132 (a)	.	1.0 x 10 ²	2.7 x 10 ⁻⁹	1.0 x 10 ⁷	2.7 x 10 ⁻⁴
Th-227	Thorium (90)	1.0 x 10 ¹	2.7 x 10 ⁻¹⁰	1.0 x 10 ⁴	2.7 x 10 ⁻⁷

Commented [jsj67]: Select values for Te-121m are revised, consistent with 10 CFR 71, Table A-2.

The IAEA revised its values for Te-121m based on new analyses and information.

This is a relatively uncommon isotope. As such, the proposed change is not expected to have an impact on licensees.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Th-228 (a)	.	1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Th-229 (a)	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Th-230	.	1.0	2.7×10^{-11}	1.0×10^4	2.7×10^{-7}
Th-231	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Th-232	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
Th-234 (a)	.	1.0×10^3	2.7×10^{-8}	1.0×10^5	2.7×10^{-6}
Th (natural) (a)	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
Ti-44 (a)	Titanium (22)	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
Tl-200	Thallium (81)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Tl-201	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Tl-202	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Tl-204	.	1.0×10^4	2.7×10^{-7}	1.0×10^4	2.7×10^{-7}
Tm-167	Thulium (69)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Tm-170	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Tm-171	.	1.0×10^4	2.7×10^{-7}	1.0×10^8	2.7×10^{-3}
U-230 (fast lung absorption) (a),(b)	Uranium (92)	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
U-230 (medium lung absorption) (a),(c)	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
U-230 (slow lung absorption) (a),(d)	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
U-232 (fast lung absorption) (a),(b)	Uranium (92)	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
U-232 (medium lung absorption) (c)	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
U-232 (slow lung absorption) (d)	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
U-233 (fast lung absorption) (b)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U-233 (medium lung absorption) (c)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U-233 (slow lung absorption) (d)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U-234 (fast lung absorption) (b)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U-234 (medium lung absorption) (c)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U-234 (slow lung absorption) (d)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
U-235 (all lung absorption types) (a),(b),(c),(d)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U-236 (fast lung absorption) (b)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U-236 (medium lung absorption) (c)	Uranium (92)	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U-236 (slow lung absorption) (d)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U-238 (all lung absorption types) (a),(b),(c),(d)	.	1.0×10^1	2.7×10^{-10}	1.0×10^4	2.7×10^{-7}
U (natural) (a)	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
U (enriched to 20% or less) (e)	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
U (depleted)	.	1.0	2.7×10^{-11}	1.0×10^3	2.7×10^{-8}
V-48	Vanadium (23)	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}
V-49	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
W-178 (a)	Tungsten (74)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
W-181	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
W-185	.	1.0×10^4	2.7×10^{-7}	1.0×10^7	2.7×10^{-4}
W-187	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
W-188 (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Xe-122 (a)	Xenon (54)	1.0×10^2	2.7×10^{-9}	1.0×10^9	2.7×10^{-2}
Xe-123	.	1.0×10^2	2.7×10^{-9}	1.0×10^9	2.7×10^{-2}
Xe-127	.	1.0×10^3	2.7×10^{-8}	1.0×10^5	2.7×10^{-6}
Xe-131m	.	1.0×10^4	2.7×10^{-7}	1.0×10^4	2.7×10^{-7}
Xe-133	.	1.0×10^3	2.7×10^{-8}	1.0×10^4	2.7×10^{-7}
Xe-135	.	1.0×10^3	2.7×10^{-8}	1.0×10^{10}	2.7×10^{-1}
Y-87 (a)	Yttrium (39)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Y-88	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Y-90	.	1.0×10^3	2.7×10^{-8}	1.0×10^5	2.7×10^{-6}
Y-91	.	1.0×10^3	2.7×10^{-8}	1.0×10^6	2.7×10^{-5}
Y-91m	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Y-92	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Y-93	.	1.0×10^2	2.7×10^{-9}	1.0×10^5	2.7×10^{-6}
Yb-169	Ytterbium (79)	1.0×10^2	2.7×10^{-9}	1.0×10^7	2.7×10^{-4}
Yb-175	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Zn-65	Zinc (30)	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Zn-69	.	1.0×10^4	2.7×10^{-7}	1.0×10^6	2.7×10^{-5}
Zn-69m (a)	.	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}

Symbol of radionuclide	Element and atomic number	Activity concentration for exempt material (Bq/g)	Activity concentration for exempt material (Ci/g)	Activity limit for exempt consignment (Bq)	Activity limit for exempt consignment (Ci)
Zr-88	Zirconium (40)	1.0×10^2	2.7×10^{-9}	1.0×10^6	2.7×10^{-5}
Zr-93 (a)	.	1.0×10^3	2.7×10^{-8}	1.0×10^7	2.7×10^{-4}
Zr-95 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^6	2.7×10^{-5}
Zr-97 (a)	.	1.0×10^1	2.7×10^{-10}	1.0×10^5	2.7×10^{-6}

937 [a](#) Parent nuclides and their progeny included in secular equilibrium are listed in the following:

938	Sr-90	Y-90
939	Zr-93	Nb-93m
940	Zr-97	Nb-97
941	Ru-106	Rh-106
942	Ag-108m	Ag-108
943	Cs-137	Ba-137m
944	Ce-134 La-134	
945	Ce-144	Pr-144
946	Ba-140	La-140
947	Bi-212	Tl-208 (0.36), Po-212 (0.64)
948	Pb-210	Bi-210, Po-210
949	Pb-212	Bi-212, Tl-208 (0.36), Po-212 (0.64)
950	Rn-220 Po-216	
951	Rn-222	Po-218, Pb-214, Bi-214, Po-214
952	Ra-223	Rn-219, Po-215, Pb-211, Bi-211, Tl-207
953	Ra-224	Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0.36), Po-212 (0.64)
954	Ra-226	Rn-222, Po-218, Pb-214, Bi-214, Po-214, Pb-210, Bi-210, Po-210
955	Ra-228	Ac-228
956	Th-226 Ra-222 Rn-218 Po-214	
957	Th-228	Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0.36), Po-212 (0.64)
958	Th-229	Ra-225, Ac-225, Fr-221, At-217, Bi-213, Po-213, Pb-209
959	Th-nat	Ra-228, Ac-228, Th-228, Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0.36), Po-12 (0.64)
960	Th-234	Pa-234m
961	U-230	Th-226, Ra-222, Rn-218, Po-214
962	U-232	Th-228, Ra-224, Rn-220, Po-216, Pb-212, Bi-212, Tl-208 (0.36), Po-212 (0.64)
963	U-235	Th-231
964	U-238	Th-234, Pa-234m
965	U-nat	Th-234, Pa-234m, U-234, Th-230, Ra-226, Rn-222, Po-218, Pb-214, Bi-214, Po-214, Pb-210, Bi-210, Po-210
966	U-240 Np-240m	
967	Np-237	Pa-233
968	Am-242m	Am-242
969	Am-243	Np-239

970 b These values apply only to compounds of uranium that take the chemical form of UF₆, UO₂F₂ and UO₂(NO₃)₂ in both normal and accident conditions of transport.

971


972 c These values apply only to compounds of uranium that take the chemical form of UO₃, UF₄, UCl₄, and hexavalent compounds in both normal and accident conditions of transport.

973

Commented [jsj68]: Tab spacing is added for formatting purposes only.

Consistent with 10 CFR 71 (and IAEA regulation), Ag-108m is added, and certain parent and progeny values are removed from this footnote.

- |974 d These values apply to all compounds of uranium other than those specified in ~~d and e~~ **and c**, above.
- 975 e These values apply to unirradiated uranium only.
- 976



977 **TABLE 17A3: GENERAL VALUES FOR A1 AND A2**

Contents	A ₁ (TBq)	A ₁ (Ci)	A ₂ (TBq)	A ₂ (Ci)	Activity concentration for exempt material(Bq/g)	Activity concentration for exempt material(Ci/g)	Activity limits for exempt consignments (Bq)	Activity limits for exempt consignments (Ci)
Only beta or gamma emitting radionuclides are known to be present	1 x 10 ⁻¹	2.7 x 10 ⁰	2 x 10 ⁻²	5.4 x 10 ⁻¹	1 x 10 ⁻¹	2.7 x 10 ⁻¹⁰	1 x 10 ⁴	2.7 x 10 ⁻⁷
Only alpha emitting radionuclides, but no neutron emitters, are known to be present (a)	2 x 10 ⁻¹	5.4 x 10 ⁰	9 x 10 ⁻⁵	2.4 x 10 ⁻³	1 x 10 ⁻¹	2.7 x 10 ⁻¹²	1 x 10 ³	2.7 x 10 ⁻⁸
Neutron emitting nuclides are known to be present or no relevant data are available	1 x 10 ⁻³	2.7 x 10 ⁻²	9 x 10 ⁻⁵	2.4 x 10 ⁻³	1 x 10 ⁻¹	2.7 x 10 ⁻¹²	1 x 10 ³	2.7 x 10 ⁻⁸

Commented [jsj69]: Page break inserted at first page of table to ensure the table begins on a new page at time of final publication.
ALSO - SEE NEXT COMMENT.

978 **(a) If beta or gamma emitting nuclides are known to be present, the A1 value of 0.1 TBq (2.7 Ci) should be used.**

979

Commented [jsj70]: Changes are made to Table 17A3 and footnote, consistent with existing provisions and recent updates to 10 CFR 71, Table A-3.

Due to the original wording, some users may have incorrectly applied the (original) third criteria of the table when they encountered an alpha emitter that also emitted beta particles or gamma rays when it was intended that they be assigned to the second row of the table. The updated language is intended to clarify the requirements and avoid such errors.

For neutron emitters that also emit alpha particles (including Cf-252, Cf-254, Cm-248), the third row of the table would apply.

NRC Compatibility "B"
[NRC RATS 2015-3](#)
[80 FR 33987 \(June 12, 2015\)](#)

980

TABLE 17A4: ACTIVITY-MASS RELATIONSHIPS FOR URANIUM

Uranium Enrichment (i) weight % U-235 present	Specific Activity	Specific Activity
	TBq/g	Ci/g
.	1.8×10^{-8}	5.0×10^{-7}
0.45	2.6×10^{-8}	7.1×10^{-7}
0.72	2.8×10^{-8}	7.6×10^{-7}
1.0	3.7×10^{-8}	1.0×10^{-6}
1.5	1.0×10^{-7}	2.7×10^{-6}
5.0	1.8×10^{-7}	4.8×10^{-6}
10.0	3.7×10^{-7}	1.0×10^{-5}
20.0	7.4×10^{-7}	2.0×10^{-5}
35.0	9.3×10^{-7}	2.5×10^{-5}
50.0	2.2×10^{-6}	5.8×10^{-5}
90.0	2.6×10^{-6}	7.0×10^{-5}
93.0	3.4×10^{-6}	9.1×10^{-5}
95.0		

Commented [JJ71]: Page break inserted at first page of table to ensure the table begins on a new page at time of final publication.

981 ⁱ The figures for uranium include representative values for the activity of the uranium-235 that is concentrated during the enrichment
982 process.