


## 61210-1-2 Ballot Box Datasheet

## **Expanded**



## **Physical Characteristics**

| Dimensions | Height: 30.5" |
|------------|---------------|
|------------|---------------|

Width: 23.5"

Depth (expanded): 29"

Depth (collapsed): 10.5"

Ground clearance: 4"

Enclosure Material ABS plastic

Enclosure Finish Matte black

Weight Ballot box: 47.5 lbs.

Full ballot box (18" ballots): 131 lbs.

ClearCast D chute: 1.5 lbs.

ClearCast D: 32 lbs.

ClearCast Go: 25.6 lbs.

| ClearCast<br>Compatibility | ClearCast D ClearCast Go                        |
|----------------------------|---|
| Wheels                     | 3" swivel rubber casters with total lock brakes |
| Ballot Bin                 | ClearBallot reference number: 61300-1-1 Plastic |
|                            | 21 1/8" x 15 1/4" x 17 1/4"                     |
|                            | 8 lbs   |

| Security       |                                       |
|----------------|---------------------------------------|
| Tamper Evident | Can be used with tamper evident seals |
| Locks          | Tubular pin tumbler lock              |
|                | 7 pins                                |

| Capacity                   |                      |              |
|----------------------------|----------------------|--------------|
| 11" Ballots, 65lb<br>cover | In ballot bin: 2,000 | Loose: 3,000 |
| 14" Ballots, 65lb          | In ballot bin: 2,000 | Loose: 2,500 |
| 18" Ballots, 65lb          | In ballot bin: 1,900 | Loose: 2,200 |

| Handling                 |  |
|--------------------------|--|
| Storage                  | Each ballot box occupies approximately 5 ft <sup>3</sup> when collapsed  Ballot boxes should be stored collapsed and should not be stacked |
| Environmental Conditions | Should be stored under climate control for temperature and humidity -4° to 140° F  |

|          | Can tolerate humidity equivalent to the procedure of MIL-STD-810D, Method 507.2, Procedure I-Natural Hot-Humid |
|----------|--|
| Handling | Ensure wheels are locked when the ballot box is in use.  |

| Certification |   |
|---------------|---|
| ClearVote     | Please refer to Clear Ballot's Approved Parts Lists for the ClearVote version(s) under which this product is certified. |