

Back to Business Sale

Save up to 50% on select products.
Plus, get free shipping and easy returns.

SHOP

HP Store

My Account
Need help?



Explore Shop Support

Search hp.com



HOME / PRINTERS / WORKGROUPS / HP LASERJET PRINTERS WITH HP JETINTELLIGENCE / HP LASERJET PRO M404DN



HP LaserJet Pro M404dn

★ 4.1 (76) Write a review ENERGY STAR

See similar products >

- Print only
- Print speed letter: Up to 40 ppm (black)
- Auto duplex printing; 2 paper trays (standard)
- Best-in-class security-detect and stop attacks

See all Specs

Protect your Device with an HP Care Pack

HP Care Pack LEARN MORE >

1-Year Standard Warranty	Included
3 Year Next Business Day Exchange Hardware Support for LaserJet M404	+ \$69.00
3 Year Next Business Day Onsite Hardware Support for LaserJet M404	HP Recommends + \$99.00

Earn 1X HP Rewards Points

ADD TO CART

\$299.99

Product # W1A53A#BGJ

Features Specs Toner & Paper Support Reviews

Product specifications

HP Data Sheet	HP LaserJet Pro M404 Series printer
Functions	Print
Print speed, black (normal)	Up to 40 ppm (default) ; Up to 42 ppm (HP High Speed)
First page out (ready) black	As fast as 6.1 sec
Resolution (black)	Fine Lines (1200 x 1200 dpi)
Resolution technology	HP FastRes1200, HP ProRes1200, Economode
Monthly duty cycle	Up to 80,000 pages ^[10]
Recommended monthly page volume	750 to 4000 ^[11]
Print Technology	Laser
Display	2-line backlit LCD graphic display
Processor speed	1200 MHz
Number of print cartridges	1 (black)
Replacement cartridges	AMS: For distribution and use in North America and Latin America only: HP 58A Black LaserJet Toner Cartridge (~3,000 pages), CF258A; HP 58X Black LaserJet Toner Cartridge (~10,000 pages), CF258X; EMEA: For distribution and use in Europe, Middle East, Russia, CIS, and Africa only: HP 59A Black LaserJet Toner Cartridge (~3,000 pages), CF259A; HP 59X Black LaserJet Toner Cartridge (~10,000 pages), CF259X; APJ: For distribution and use only in Asia Pacific - excluding China (PRC) and India: HP 76A Black LaserJet Toner Cartridge (~3,000 pages), CF276A; HP 76X Black LaserJet Toner

FEEDBACK



	Cartridge (~10,000 pages), CF276X ^[3]
Product disclaimer	This printer uses dynamic security, which may be updated periodically by firmware updates. The printer is intended to be used solely with cartridges using an original HP chip. Cartridges using a non-HP chip may not function or may cease to function. More at: www.hp.com/learn/ds
Product disclaimer	This printer uses dynamic security, which may be updated periodically by firmware updates. The printer is intended to be used solely with cartridges using an original HP chip. Cartridges using a non-HP chip may not function or may cease to function. More at: www.hp.com/learn/ds
Print languages	HP PCL 6, HP PCL 5e, HP postscript level 3 emulation, PDF, URF, PWF Raster
Automatic paper sensor	No
Paper trays, standard	2
Paper trays, maximum	3
Mobile Printing Capability	HP Smart App; HP ePrint; Apple AirPrint™; Google Cloud Print™; Mobile Apps; Mopria™ Certified; ROAM capable for easy printing; Wi-Fi® Direct printing
Connectivity, standard	1 Hi-Speed USB 2.0; 1 host USB at rear side; Gigabit Ethernet 10/100/1000BASE-T network; 802.3az(EEE)
Security management	Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; IPP over TLS; Network: enable/disable network ports and features, unused protocol and service disablement, SNMPv1, SNMPv2, and SNMPv3, community password change; HP ePrint: HTTPS with certificate validation, HTTP Basic Access Authentication, SASL authentication; Firewall and ACL; control panel lock, certificates configuration, UPD PIN printing, Syslog, signed firmware, administrator settings, 802.1x authentication (EAP-TLS, and PEAP); Encrypted data storage; Secure data erase; Automatic firmware updates; Secure Encrypted Print via optional job storage, Compatible with optional HP JetAdvantage Security Manager
Minimum system requirements	2 GB available hard drive space, Internet connection or USB port, OS hardware requirements see apple.com 2 GB available hard disk space, Internet connection, USB port, Internet browser. For additional OS hardware requirements see microsoft.com
Compatible operating systems	Windows Client OS (32/64 bit), Win10, Win8.1, Win 8 Basic, Win8 Pro, Win8 Enterprise, Win8 Enterprise N, Win7 Starter Edition SP1, UPD Win7 Ultimate, Mobile OS, iOS, Android, Mac, Apple® macOS Sierra v10.12, Apple® macOS High Sierra v10.13, Apple® macOS Mojave v10.14, Discrete PCL6 Printer Driver; For more information on the supported operating systems go to http://support.hp.com , Enter your product name and search, Click on User Guides and enter your product name and search for User Guide, Search for your (Product Name) User Guide, Search for the Supported Operating Systems section, UPD PCL6 / PS Printer Drivers, Supported Operating systems, For more information on the supported operating systems see http://www.hp.com/go/upd
Memory, standard	256 MB
Memory, maximum	256 MB
Printer management	HP Printer Assistant; HP Utility (Mac); HP Device Toolbox; HP Web JetAdmin Software; HP JetAdvantage Security Manager; HP SNMP Proxy Agent; HP WS Pro Proxy Agent; Printer Administrator Resource Kit for HP Universal Print Driver (Driver Configuration Utility - Driver Deployment Utility - Managed Printing Administrator)
Supported network protocols	TCP/IP, IPv4, IPv6; Print: TCP-IP port 9100 Direct Mode, LPD (raw queue support only), Web Services Printing, HP ePrint, Apple AirPrint™, Google

	Cloud Print 2.0, Mopria, IPP Print; Discovery: SLP, Bonjour, Web Services Discovery; IP Config: IPv4 (BootP, DHCP, AutoIP, Manual), IPv6 (Stateless Link-Local and via Router, Statefull via DHCPv6), SSL Security and Certificate management; Management: SNMPv1, SNMPv2, SNMPv3, HTTP/HTTPS, Syslog, FTP FW Download
Hard disk	None
Paper handling input, standard	100-sheet multipurpose Tray 1, 250-sheet input Tray 2
Paper handling output, standard	150-sheet output bin
Duplex printing	Automatic (default)
Finished output handling	Sheetfed
Media sizes supported	Tray 1, Tray 2: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); envelopes (DL, C5, B5); Optional Tray 3: A4; A5; A6; B5 (JIS); B6 (JIS); 16K (195 x 270 mm, 184 x 260 mm, 197 x 273 mm); 10 x 15 cm; Oficio (216 x 340 mm); postcards (JIS single, JIS double); Automatic duplexer: A4; B5; 16K (195 x 270 mm, 184 x 260 mm; 197 x 273 mm); Oficio (216 x 340 mm)
Media sizes, custom	Tray 1: 3 x 5 to 8.5 x 14 in; Tray 2, optional Tray 3: 3.94 x 5.83 to 8.5 x 14 in
Media types	Paper (plain, EcoFFICIENT, light, heavy, bond, colored, letterhead, preprinted, prepunched, recycled, rough); envelopes; labels
Supported media weight	Tray 1: 16 to 46.6 lb; Tray 2 and Optional 550-sheet Tray 3: 16 to 32 lb
Media weights by paper path	Tray 1: 60 to 200 g/m ² ; Tray 2, Optional 550-sheet Tray 3: 60 to 120 g/m ²
Power	110-volt input voltage: 110 to 127 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz); 220-volt input voltage: 220 to 240 VAC (+/- 10%), 50/60 Hz (+/- 2 Hz) (Not dual voltage, product varies by part number with # Option code identifier)
Power consumption	495 watts (active printing), 5.5 watts (ready), 0.5 watts (sleep), 0.5 watts (Auto Off/Wake on LAN, enabled at shipment), 0.05 watts (Auto-off/Manual-on), 0.05 (Manual Off) ^[2]
Energy efficiency	ENERGY STAR [®] qualified; EPEAT [®] Silver; CECP
Operating temperature range	59 to 90.5°F
Operating humidity range	30 to 70% RH
Software included	No software solutions are included in the Box, Download software at http://123.hp.com/laserjet or http://hp.com
FCC	FCC Class A emissions - for use in commercial environments, not residential environments
Warranty	One-year Bench/Depot Repair warranty. Warranty and support options vary by product, country and local legal requirements. Contact your Contractual Vendor or go to hp.com/support to learn about HP award winning service and support options in your region. (wty code 4E; wty ID A033)
Dimensions (W X D X H)	15 x 14.06 x 8.5 in
Dimensions Maximum (W X D X H)	15 x 25 x 9.5 in
Weight	18.87 lb
Package weight	23.1 lb
What's in the box	HP LaserJet Pro M404dn; Preinstalled HP Black LaserJet Toner Cartridge (59A for EMEA, 58A for AMS, 76A for AP, yield ~3,000 pages); Getting



Started Guide; Support Flyer; Warranty Guide; Regulatory Flyer; Power cord; USB cable (AP Only)

Cable included

Yes, 1 USB cable (AP only); No, please purchase USB cable separately (EMEA, Americas)

[1] Without trays and covers not extended

[2] Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Power consumption values typically based on measurement of 115V device.

[3] Toner cartridges designed for distribution and use within a designated region only; will not work outside of designated region.

[4] Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit <http://www.hp.com/go/learnaboutsupplies>

[5] Local printing requires mobile device and printer to be on the same network (usually Wi-Fi access points bridge wireless to wired connections) or have a direct wireless connection. Wireless performance is dependent on physical environment and distance from access point. Remote printing requires an Internet connection to an HP web-connected printer. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. For more information visit hp.com/go/mobileprinting. To enable HP Roam, some devices may require firmware to be upgraded and an optional accessory to add Bluetooth® Low Energy (BLE) beaconing capabilities. For more information, visit hp.com/go/roam

[6] Acoustic values are subject to change. For current information see <http://www.hp.com/support>. Configuration tested: base model, simplex printing, A4 paper at an average of 40 ppm.

[7] Measured using ISO/IEC 24734, excludes first set of test documents. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[8] Measured using ISO 24734 Feature Test, A5 Landscape Feed. Speed may vary based on content, PC, media orientation, and media type.

[9] Measured using ISO/IEC 17629. For more information see <http://www.hp.com/go/printerclaims>. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

[10] Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPS to satisfy the demands of connected individuals or groups.

[11] HP recommends that the number of pages per month of imaged output be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period

[12] HP SureSupply alerts you when your print cartridge is running low and helps you purchase online or locally through HP or a participating retailer. For more information, visit <http://www.hp.com/go/SureSupply>; only available with Original HP supplies; Internet access required.

[13] EPEAT® registered where applicable. EPEAT registration varies by country. See <http://www.epeat.net> for registration status by country.

[14] In box cartridge yields 3,000 black pages based on ISO/IEC 19752 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see: <http://www.hp.com/go/learnaboutsupplies>. Pages may vary based on customer printing conditions and usage.

[15] BA TEC is equal to Best TEC. Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.

Return & exchange information

HP.com will accept returns or exchanges for this product up to 30 days after delivery. A restocking fee may apply.

[HP Business Club](#) | [Back To Business Sale](#) | [HP Education Store](#) | [HP Fraud Alert](#) | [Red Tag Sale](#) | [Workstations & Thin Clients](#) | [Zero Client](#) | [Back To School Guide](#) | [Business Tablet PCs](#) | [Chromebook for Business](#) | [Detachable Workstation](#) | [Emmc Storage](#) | [HP Business](#) | [HP Business Sales](#) | [HP Designjet](#) | [HP Elite](#) | [HP Elite All-in-One Desktops](#) | [HP Elite Desktops](#) | [HP Elite Laptops](#) | [HP Elite Mini Desktops](#)

[Shipping Information](#) | [Order Tracking](#) | [Returns Information](#) | [Cancellation Policy](#) | [My HP Rewards](#)



Need help?
[Contact us now](#) ▾

+ [Disclaimer](#)



FEEDBACK

